FOR OFFICIAL USE ONLY

DECK LOG–TITLE PAGE
NAVPERS 716 (Rev. 4-56)

ORIG

DECK
LOG BOOK

OF THE

U.S.S. ABILITY

MSO-519
IDENTIFICATION NUMBER

COMMANDED BY

L. L. HAWKINS, LCDR, , U. S. N.

Attached to:
MINE DIVISION EIGHTY-FIVE Division,
MINE SQUADRON EIGHT Squadron,
Flotilla,
U. S. ATLANTIC FLEET Fleet,
SIXTH NAVAL DISTRICT Naval District,

Commencing 0001R, 1 MAY (zone time and date), 19 62 ,

at CHARLESTON, SOUTH CAROLINA (location),

and ending 2400R, 31 MAY (zone time and date), 19 62 ,

at CHARLESTON, SOUTH CAROLINA (location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63074

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 R DATE TUESDAY (Day) 1 (Date) MAY (Month), 19 62

AT/PASSAGE FROM ROOSEVELT ROADS, PUERTO RICO TO CHARLESTON, SOUTH CAROLINA

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	285	7	9	R	29.94	74	68	10	1600	NS	80	280	1
02	285	4	10	OVC	29.93	74	70	10	1600	NS	80	280	1
03	285	4	10	OVC	29.93	74	68	10	1600	NS	80	280	.5
04	280	6	8	OVC	29.93	75	72	10	1600	NS	79	280	.5
05	260	12	8	OVC	29.91	77	73	10	1600	NS/AC	80	270	1
06	270	12	10	OVC	29.92	75	71	10	1600	NS/AC	80	270	.5
07	050	10	10	OVC	29.94	74	71	10	1600	NS	80	090	.5
08	045	8	10	OVC	29.97	73	70	10	1600	NS	80	080	.5
09	250	4	10	SCT	29.98	80	74	5	1600	AC/CU	76	240	.5
10	265	8	10	SCT	29.98	78	72	3	1600	AC	75	210	.5
11	250	7	10	CLR	29.98	80	73	—	—	—	74	190	.5
12	250	6	10	CLR	29.97	83	75	—	—	—	74	170	.5
13	220	6	10	SCT	29.93	84	75	4	1600	CU/ST	74	190	.5
14	180	6	10	SCT	29.90	82	75	2	1600	CU	74	190	.5
15	290	6	10	SCT	29.90	80	73	3	1600	CU	—	—	—
16	290	6	10	SCT	29.87	76	71	3	1600	CU	—	—	—
17	290	6	10	SCT	29.84	76	71	4	1600	CU	—	—	—
18	230	3	10	SCT	29.85	80	71	4	1600	CU	—	—	—
19	000	3	10	SCT	29.85	80	71	4	1600	CU	—	—	—
20	000	3	10	SCT	29.86	78	71	5	1600	CU	—	—	—
21	000	2	10	SCT	29.87	76	70	5	1600	CU	—	—	—
22	000	2	10	SCT	29.89	74	79	5	1600	CU	—	—	—
23	000	2	10	SCT	29.90	72	68	5	1600	CU	—	—	—
24	010	3	7	CLR	29.90	71	68	—	—	—	—	—	—

POSITION	ZONE	TIME
0800 L	32°19'N	BY 2
λ	79°04.5W	BY 2
1200 L		BY
λ		BY
2000 L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 116.85

FUEL CONSUMED 0000-2400: 340

REMARKS

00-04. STEAMING IN COMPANY WITH USS SALUTE (MSO-470) ENROUTE FROM ROOSEVELT ROADS, PUERTO RICO, TO CHARLESTON, SOUTH CAROLINA, IN ACCORDANCE WITH COMINRON 8 MSG. 250345Z OF APRIL 1962. SALUTE IS GUIDE IN STATION ONE OF COLUMN FORMATION BEARING 310°, RANGE 1000 YARDS. THIS SHIP IN STATION TWO, SPEED 8.5 KTS, COURSE 310°. OTC AND SOPA IS COMMANDING OFFICER, SALUTE. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

LTJG USNR

~~00~~-04-08 STEAMING AS BEFORE, 0556 C/S TO 6KTS 0605 C/S TO 8KTS. 0750 MUSTERED THE CREW ON STATION. ABSENTEES: NONE. Dep

LTJG USNR

APPROVED: U. S. N. COMMANDING

EXAMINED: U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) TUESDAY (Day) 1 (Date) MAY (Month), 19 62

08-12 STEAMING AS BEFORE. 1000 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITION NORMAL.

W Bedrial Ens USNR.

12-16. STEAMING AS BEFORE. 1230 C/C TO 280. 1237 C/C TO 290. 1240 STATIONED THE SPECIAL SEA DETAIL. C/S TO 9 KTS. COMMENCED PROCEEDING INDEPENDENTLY. OOD CONNING, CAPTAIN AND NAVIGATOR ON THE BRIDGE. 1250 ENTERED INLAND WATERS. COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS CONFORMING TO CHANNEL STANDING INTO CHARLESTON, SOUTH CAROLINA. 1301 PASSED BUOY NO. 4 ABEAM TO STARBOARD. 1419 PASSED BENEATH THE GRACE MEMORIAL BRIDGE. 1450 U.S. NAVY TUG CAME ALONG SIDE STARBOARD QUARTER. PILOT SWAN CAME ABOARD AND TOOK THE CONN. 1451 MANEUVERING TO GO ALONGSIDE USS SALUTE. 1500 MOORED PORT SIDE TO USS SALUTE AT PIER UNIFORM, BERTH THREE, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. SOPA IS COMINLANT AT U.S. NAVAL STATION. 1507 SECURED SEA DETAIL, SET REGULAR IN PORT WATCH. NAVY TUG UNDERWAY, PILOT LEFT THE SHIP. 1534 COMMENCED RECEIVING MISCELLANEOUS SERVICES FROM THE PIER.

R R Miller
ENS. USNR

16-20. MOORED AS BEFORE.

R R Miller
ENS. USNR

20-24. MOORED AS BEFORE.

R R Miller
ENS. USNR

APPROVED: L R Hawkins U. S. N. COMMANDING

EXAMINED: C. O. Fore III U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 R DATE WEDNESDAY (Day) 2 (Date) MAY (Month), 19 62

AT/~~PASSAGE FROM~~ CHARLESTON, SOUTH CAROLINA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	—	—	7	CLR	29.89	71	68	—	—	—	—	—	—
02	010	2	7	CLR	29.87	71	68	—	—	—	—	—	—
03	—	—	7	CLR	29.84	70	67	—	—	—	—	—	—
04	—	—	7	CLR	29.86	70	66	—	—	—	—	—	—
05	—	—	7	CLR	29.84	69	65	—	—	—	—	—	—
06	245	4	7	CLR	29.85	69	66	—	—	—	—	—	—
07	245	2	7	CLR	29.85	76	70	—	—	—	—	—	—
08	245	3	10	CLR	29.87	80	72	—	—	—	—	—	—
09	095	4	10	CLR	29.89	85	75	—	—	—	—	—	—
10	095	4	10	CLR	29.91	86	76	—	—	—	—	—	—
11	070	1	10	CLR	29.91	88	78	—	—	—	—	—	—
12	075	2	10	CLR	29.88	91	70	—	—	—	—	—	—
13	250	3	10	SCT	29.86	93	72	3	1600	CU	—	—	—
14	250	3	10	SCT	29.87	93	73	3	1600	CU	—	—	—
15	250	3	10	SCT	29.82	92	72	3	1600	CU	—	—	—
16	250	2	10	SCT	29.81	89	70	3	1600	CU	—	—	—
17	235	2	10	SCT	29.80	87	73	2	1600	CU	—	—	—
18	230	3	10	SCT	29.81	83	72	4	1600	CU	—	—	—
19	235	3	10	SCT	29.81	79	70	3	1600	CU	—	—	—
20	235	3	10	SCT	29.83	78	70	3	1600	CU	—	—	—
21	095	5	10	SCT	29.86	75	70	3	1600	CU	—	—	—
22	095	7	10	SCT	29.88	74	70	3	1600	CU	—	—	—
23	095	6	10	SCT	29.88	73	70	3	1600	CU	—	—	—
24	095	7	8	SCT	29.91	70	63	3	1600	CU	—	—	—

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

1060

REMARKS

00-04. MOORED IN A NEST OF TWO SHIPS WITH USS SALUTE (MSO-470) INBOARD TO PORT AT PIER ~~STERRA~~ UNIFORM, BERTH THREE, AT U.S NAVAL STATION, CHARLESTON, SOUTH CAROLINA. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. SOPA IS COMINLANT AT U.S. NAVAL STATION. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

R R Miller ENS. USNR

04-08. MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: HOENIG, R.K., 528 29 88, CS3, USN, ABSENT OVER LIBERTY SINCE 0730 THIS DATE; RISINGER, Z.E, JR., 534 94 51, ENFN, USN, ABSENT OVER LIBERTY SINCE 0730 THIS DATE.

R R Miller ENS. USNR

APPROVED: R D Hawkins U. S. N. COMMANDING

EXAMINED: O. A. Fiorelli U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) WEDNESDAY (Day) 2 (Date) MAY (Month), 19 67

0800-1200. MOORED AS BEFORE. 0820 RISINGER, Z.E., JR, 534 94 51, ENFN, USN, RETURNED ONBOARD, HAVING BEEN AWOL SINCE 0730 THIS DATE. 0835 MADE DAILY INSPECTION OF MAGAGINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

R D Miller
ENS. USNR

1200-1600. MOORED AS BEFORE.

R D Miller
ENS. USNR

1600-2000. MOORED AS BEFORE.

R D Miller
ENS. USNR

2000-2400. MOORED AS BEFORE

R D Miller
ENS. USNR

APPROVED: L L Hawkins
U. S. N. COMMANDING

EXAMINED: R. O. Fiore, LT
U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE THURSDAY (Day) 3 (Date) MAY (Month), 19 62

AT/~~PASSAGE FROM~~ CHARLESTON, SOUTH CAROLINA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	095	3	8	SCT	29.90	68	55	5	1600	CU/NS	—	—	—
02	095	7	8	SCT	29.91	65	55	5	1600	CU/NS	—	—	—
03	095	8	8	SCT	29.90	65	55	5	1600	CU/NS	—	—	—
04	050	8	10	SCT	29.92	64	56	2	1600	CU/NS	—	—	—
05	000	8	10	SCT	29.92	63	54	3	1600	CU/NS	—	—	—
06	050	7	10	SCT	29.93	62	54	3	1600	CU/NS	—	—	—
07	000	6	10	SCT	29.97	64	55	3	1600	CU/NS	—	—	—
08	000	10	10	SCT	30.00	66	57	2	1600	CU/NS	—	—	—
09	000	12	10	CLR	30.01	68	60	—	—	—	—	—	—
10	000	8	10	CLR	30.03	71	64	—	—	—	—	—	—
11	000	7	10	CLR	30.04	73	65	—	—	—	—	—	—
12	320	6	10	CLR	30.02	79	66	—	—	—	—	—	—
13	310	8	10	CLR	30.01	78	66	—	—	—	—	—	—
14	080	4	10	CLR	30.01	77	67	—	—	—	—	—	—
15	130	4	10	CLR	30.05	76	66	—	—	—	—	—	—
16	165	5	10	CLR	30.01	72	69	—	—	—	—	—	—
17	130	4	10	CLR	30.01	72	68	—	—	—	—	—	—
18	165	4	10	CLR	30.01	71	68	—	—	—	—	—	—
19	105	2	10	CLR	30.01	71	68	—	—	—	—	—	—
20	100	2	8	CLR	30.05	68	64	—	—	—	—	—	—
21	—	—	8	CLR	30.05	68	64	—	—	—	—	—	—
22	—	—	8	CLR	30.06	68	64	—	—	—	—	—	—
23	—	—	8	CLR	30.05	69	61	—	—	—	—	—	—
24	—	—	8	CLR	30.06	64	61	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

136

REMARKS

00-04. MOORED PORTSIDE TO PIER UNIFORM, BERTH 5, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA WITH STANDARD MOORING LINES DOUBLED. MOORED IN A NEST OF TWO SHIPS WITH USS SALUTE (MSO-470) MOORED INBOARD TO PORT. SOPA IS COMINLANT AT U.S. NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

R R Miller ENS. USNR

04-08. MOORED AS BEFORE. 0730 MUSTERED THE CREW AT QUARTERS. ABSENTEES: HOENIG, R.K. 528 29 88, CS3. USN, AWOL SINCE 2 MAY 1962.

R R Miller, ENS. USNR

APPROVED: L L Hawkins U.S.N. COMMANDING

EXAMINED: O. A. Fiore, LT U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) THURSDAY (Day) 3 (Date) MAY (Month), 1962

Ø8-12 MOORED AS BEFORE Ø93Ø MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

D L Boyer
LTJG USNR

12-16 MOORED AS BEFORE. 1430 COMMENCED TAKING ON FUEL. DRAFT FWD: 1Ø'2" AFT 11'1". DLB

D L Boyer
LTJG USNR

16-2Ø MOORED AS BEFORE. 1637 COMPLETED RECEIVING 9,15Ø GAL. OF DIESEL FUEL. DRAFT FWD: 1Ø'6" AFT 11'3". 1744 CONDUCTED FIRE DRILL. 1755 SECURED FROM FIRE DRILL

D L Boyer
LTJG USNR

2Ø-24 MOORED AS BEFORE

D L Boyer
LTJG USNR

APPROVED: D. P. Hawkins U. S. N. COMMANDING

EXAMINED: C. C. Fosse, LT U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5R DATE FRIDAY (Day) 4 (Date) MAY (Month), 19 62

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	—	—	7	CLR	30.06	64	61	—	—	—	—	—	—
02	—	—	8	CLR	30.06	64	61	—	—	—	—	—	—
03	000	2	9	CLR	30.06	64	61	—	—	—	—	—	—
04	000	2	8	CLR	30.06	63	61	—	—	—	—	—	—
05	000	4	7	CLR	30.06	63	60	—	—	—	—	—	—
06	000	3	7	CLR	30.08	65	62	—	—	—	—	—	—
07	000	1	7	SCT	30.10	69	66	2	1600	CU	—	—	—
08	000	1	7	SCT	30.10	69	66	3	1600	CU	—	—	—
09	000	3	9	SCT	30.12	71	68	3	1600	CU	—	—	—
10	—	—	10	OVC	30.11	78	73	10	1600	CU	—	—	—
11	—	—	10	OVC	30.10	86	75	10	1600	CU	—	—	—
12	—	—	10	OVC	30.10	91	72	10	1600	CU	—	—	—
13	—	—	10	OVC	30.09	88	70	10	1600	CU	—	—	—
14	110	2	10	OVC	30.08	83	64	10	1600	CU	—	—	—
15	110	3	10	OVC	30.06	80	64	10	1600	CU	—	—	—
16	110	7	10	OVC	30.05	77	65	10	1600	CU/CI	—	—	—
17	145	9	10	BKN	30.08	75	65	9	1600	CU/CI	—	—	—
18	150	11	9	BKN	30.05	73	65	7	1600	CU/CI	—	—	—
19	165	7	9	BKN	30.05	71	63	6	1600	CU/CI	—	—	—
20	165	7	9	BKN	30.05	71	63	6	1600	CU	—	—	—
21	165	7	7	CLR	30.04	69	62	—	—	—	—	—	—
22	165	7	7	CLR	30.04	69	62	—	—	—	—	—	—
23	165	5	7	CLR	30.04	69	62	—	—	—	—	—	—
24	165	5	7	CLR	30.04	69	62	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED PORT SIDE TO PIER U BERTH 4, U.S. NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES LINES DOUBLED. MOORED IN A NEST OF TWO SHIPS WITH USS SALUTE (MSO 470) MOORED INBOARD TO PORT. SOPA IS COMINLANT AT U.S. NAVAL BASE, CHARLESTON, S.C. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

D. L. Boyer
LTJG USNR

04-08 MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS ONE. UNAUTHORIZED ABSENTEE: HOENIG, RALPH K., CS3, 528 29 88, USN ABSENT SINCE 0750 2 MAY 1962.

D. L. Boyer
LTJG USNR

APPROVED: [signature] U. S. N. COMMANDING

EXAMINED: C. O. Foire, LT U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) FRIDAY (Day) 4 (Date) MAY (Month), 1962

0800-1200 MOORED AS BEFORE. 0900 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. MADE WEEKLY TESTS OF MAGAZINE SPRINKLING AND FLOODING SYSTEM; CONDITIONS SATISFACTORY. 1045 SET SPECIAL SEA DETAIL. MADE ALL NECESSARY PREPARATIONS FOR MOVING DEAD PLANT FROM BERTH "L" 5 B TO BERTH "L" 5. 1055 CO AND NAVIGATOR ON THE BRIDGE. RECEIVED DRAFT REPORTS AS FOLLOWS: FWD 10'7," AFT 11', MEAN 10'9½." 1100 TUGS ALONGSIDE; UNDERWAY WITH DEAD PLANT. 1130 MOORED STARBOARD TO BERTH "L" 5. 1140 SECURED SPECIAL SEA DETAIL AND SET THE IN PORT WATCH.

W A Druell Ens USNR — ~~J H King, Jr. Ens. USNR~~ JHK — JHK JHK

1200-1600 MOORED AS BEFORE.

W A Druell Ens USNR — ~~J H King JHK~~ — JHK JHK

1600-2000 MOORED AS BEFORE. 1815 HELD FIRE DRILL. 1900 SECURED FROM FIRE DRILL.

W A Druell Ens USNR — ~~J H King JHK~~ — JHK JHK

2000-2400 MOORED AS BEFORE.

W A Druell Ens USNR — ~~J H King JHK~~ — JHK JHK

APPROVED: J. H. Hawkins U. S. N. COMMANDING

EXAMINED: A. O. Fore, Jr. U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5R DATE ~~FRIDAY~~ SATURDAY (Day) 5 (Date) ~~4~~ MAY (Month), 19 1962 ~~62~~ JAK

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	275	6	10	CLR	30.05	68	65	—	—	—	—	—	—
02	275	8	10	CLR	30.05	68	65	—	—	—	—	—	—
03	275	8	10	CLR	30.05	68	65	—	—	—	—	—	—
04	270	4	10	CLR	30.04	63	60	—	—	—	—	—	—
05	—	—	10	CLR	30.04	61	58	—	—	—	—	—	—
06	265	3	10	SCT	30.04	62	59	4	1600	CU/CI	—	—	—
07	275	5	10	SCT	30.05	63	59	4	1600	CU/CI	—	—	—
08	290	5	10	BKN	30.05	70	60	7	1600	CU/CI	—	—	—
09	290	5	10	BKN	30.05	75	63	7	1600	CU/CI	—	—	—
10	290	5	10	BKN	30.05	80	65	7	1600	CU/CI	—	—	—
11	290	5	10	BKN	30.06	86	68	7	1600	CU/CI	—	—	—
12	290	4	10	SCT	30.06	86	71	3	1600	CU	—	—	—
13	290	4	10	SCT	30.05	84	70	3	1600	CU	—	—	—
14	290	8	10	OVC	30.04	72	63	10	1600	NS	—	—	—
15	290	9	10	OVC	30.02	72	62	10	1600	NS	—	—	—
16	—	—	6	BKN	30.02	72	62	8	1600	NS	—	—	—
17	—	—	6	BKN	30.03	75	64	8	1600	NS	—	—	—
18	200	2	8	BKN	30.03	75	64	8	1600	NS	—	—	—
19	160	4	8	BKN	30.02	72	63	8	1600	NS	—	—	—
20	200	5	8	BKN	30.02	70	63	8	1600	NS	—	—	—
21	200	5	8	BKN	30.00	69	62	6	1600	NS	—	—	—
22	200	6	8	BKN	30.00	69	62	6	1600	NS	—	—	—
23	200	6	8	BKN	30.00	68	60	7	1600	NS	—	—	—
24	200	6	6	BKN	30.00	68	60	7	1600	NS	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

0

REMARKS

04-04 MOORED STARBOARD TO BERTH UNKNOWN, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA WITH STANDARD MOORING LINES DOUBLED WITH WIRE PREVENTER RIGGED FORE AND AFT TO THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS DISTRICT CRAFT. SOPA IS COMINCLANT. RECEIVING MISCELLANEOUS SERVICES FROM PIER. SHIP IS IN CONDITION OF READINESS V, WITH MATERIAL CONDITION YOKE SET.

W. H. Judd Ens USNR JAK JAK

04-08 MOORED AS BEFORE. 0750 MUSTERED THE CREW ON STATION. ABSENTEES: HOELING, R.K., 528-29-88, CS3, USN, AWOL SINCE 0750 2 MAY 1962.

W. H. Judd Ens USNR. JAK JAK

APPROVED: L. P. Hawkins U. S. N. COMMANDING

EXAMINED: C. A. Faire, LT U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP U.S.S. ABILITY (MSO 519) SAT (Day) 5 (Date) MAY (Month), 19 62

0800-1200 MOORED AS BEFORE. 0928 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

W.B. Dreid Comdr USNR — ~~J.M. King, Jr. ENS. USNR~~ JMK

1200-1600 MOORED AS BEFORE.

W.B. Dreid Comdr USNR — ~~J.M. King, Jr. ENS. USNR~~ JMK

1600-2000 MOORED AS BEFORE.

W.B. Dreid Comdr USNR — ~~J.M. King, Jr. ENS. USNR~~ JMK

2000-2400 MOORED AS BEFORE.

W.B. Dreid Comdr USNR — ~~J.M. King, Jr. ENS. USNR~~ JMK

APPROVED: L.D. Hawkins U. S. N. COMMANDING

EXAMINED: W.A. Frorie, LT U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5R DATE SUNDAY (Day) 6 (Date) MAY (Month), 1962

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	200	5	7	BKN	30.00	67	59	7	1600	NS	—	—	—
02	200	5	6	BKN	30.00	66	58	7	1600	NS	—	—	—
03	200	5	6	BKN	30.00	66	58	7	1600	NS	—	—	—
04	200	7	6	BKN	30.02	65	55	7	1600	NS	—	—	—
05	200	5	8	BKN	30.04	62	54	7	1600	NS	—	—	—
06	200	5	8	BKN	30.06	62	54	7	1600	NS	—	—	—
07	—	—	10	CLR	30.06	64	58	—	—	—	—	—	—
08	—	—	10	CLR	30.06	65	58	—	—	—	—	—	—
09	100	2	10	CLR	30.06	67	58	—	—	—	—	—	—
10	100	3	10	CLR	30.04	69	59	—	—	—	—	—	—
11	110	4	10	CLR	30.04	70	60	—	—	—	—	—	—
12	110	4	10	CLR	30.04	70	60	—	—	—	—	—	—
13	110	4	10	CLR	30.09	70	60	—	—	—	—	—	—
14	110	4	10	CLR	30.09	70	60	—	—	—	—	—	—
15	110	4	10	CLR	30.04	70	60	—	—	—	—	—	—
16	110	5	10	CLR	30.02	70	62	—	—	—	—	—	—
17	250	5	10	CLR	30.00	70	62	—	—	—	—	—	—
18	310	6	10	CLR	29.98	69	62	—	—	—	—	—	—
19	310	4	10	CLR	29.97	68	63	—	—	—	—	—	—
20	300	4	10	CLR	29.97	68	63	—	—	—	—	—	—
21	300	4	10	CLR	29.97	68	63	—	—	—	—	—	—
22	300	3	10	CLR	29.96	67	62	—	—	—	—	—	—
23	300	4	10	CLR	29.96	67	62	—	—	—	—	—	—
24	200	6	10	CLR	29.98	65	61	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

0

REMARKS

ϕϕ-ϕ4 MOORED STARBOARD SIDE TO BERTH UNIFORM 5, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA WITH STANDARD MOORING LINES DOUBLED WITH WIRE PREVENTER RIGGED FORE AND AFT TO THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS DISTRICT CRAFT. SOPA IS COMINCLANT. RECEIVING MISCELLANEOUS SERVICES FROM PIER. SHIP IS IN CONDITION OF READINESS V, WITH MATERIAL CONDITION YOKE SET.

W.A. Reid Cmdr USNR J.A. King Jr. ~~EAS. USNR~~ JAK JAK

ϕ4-ϕ8 MOORED AS BEFORE. ϕ75ϕ MUSTERED THE CREW ON STATION. ABSENTEES: HOELIG, R.K., 528-29-88, CS3, USN, AWOL SINCE ϕ75ϕ 2 MAY 1962.

W.A. Reid Cmdr USNR J.A. King Jr. ~~EAS. USNR~~ JAK JAK

APPROVED: J.A. Hawkins U. S. N. COMMANDING

EXAMINED: O.O. Foote, Lt U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) SUNDAY (Day) 6 (Date) MAY (Month), 19 62

0800-1200 MOORED AS BEFORE. 0830 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

D R Miller ENS. USNR

1200-1600 MOORED AS BEFORE.

D R Miller ENS. USNR

1600-2000 MOORED AS BEFORE.

D R Miller ENS. USNR

2000-2400 MOORED AS BEFORE.

D R Miller ENS. USNR

APPROVED: L N Hawkins U. S. N. COMMANDING

EXAMINED: C. A. Fiore, Jr. U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5R DATE MONDAY (Day) 7 (Date) MAY (Month), 1962

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	200	6	10	CLR	29.88	64	60	—	—	—	—	—	—
02	200	6	10	CLR	29.89	65	60	—	—	—	—	—	—
03	200	4	10	CLR	29.92	66	60	—	—	—	—	—	—
04	215	3	10	CLR	29.94	65	60	—	—	—	—	—	—
05	215	3	10	CLR	29.96	64	60	—	—	—	—	—	—
06	235	3	10	CLR	29.98	65	63	—	—	—	—	—	—
07	235	3	10	CLR	29.98	67	65	—	—	—	—	—	—
08	230	3	10	CLR	30.01	78	64	—	—	—	—	—	—
09	235	4	10	CLR	30.02	79	67	—	—	—	—	—	—
10	240	4	10	CLR	30.03	80	66	—	—	—	—	—	—
11	240	3	10	CLR	30.04	94	72	—	—	—	—	—	—
12	240	3	10	CLR	30.05	84	72	—	—	—	—	—	—
13	240	3	10	CLR	30.05	84	72	—	—	—	—	—	—
14	240	3	10	CLR	30.04	83	72	—	—	—	—	—	—
15	240	7	10	CLR	30.02	83	72	—	—	—	—	—	—
16	150	14	10	BKN	30.00	77	70	8	1600	CU	—	—	—
17	150	14	10	BKN	29.96	78	68	8	1600	CU	—	—	—
18	150	14	10	BKN	29.96	76	68	8	1600	CU	—	—	—
19	150	11	8	BKN	29.96	75	72	8	1600	CU	—	—	—
20	165	13	8	BKN	29.96	74	72	8	1600	CU	—	—	—
21	165	9	8	CLR	29.95	74	73	—	—	—	—	—	—
22	160	9	8	CLR	29.95	74	73	—	—	—	—	—	—
23	165	9	8	CLR	29.95	74	72	—	—	—	—	—	—
24	165	7	8	CLR	29.94	73	71	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

0

REMARKS

0000-0400 MOORED STARBOARD SIDE TO BERTH UNIFORM 5, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA WITH STANDARD MOORING LINES DOUBLED WITH WIRE PREVENTER RIGGED FORE AND AFT TO THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS DISTRICT CRAFT. SOPA IS COMINCANT AT U.S. NAVAL STATION, CHARLESTON, S.C. RECEIVING MISCELLANEOUS SERVICES FROM PIER. SHIP IS IN CONDITION OF READINESS II, WITH MATERIAL CONDITION YOKE SET.

W. H. Reed
Ens USNR

0400-0800 MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: HOENIG, R.K., 528-29-88, CS3, USN, AWOL SINCE 0730 2 MAY 1962; WILLS, D.E, 290-02-23, SN, ABSENT WITHOUT AUTHORITY FROM MUSTER; WARD, T.L., 548-14-31, RMSA, ABSENT WITHOUT AUTHORITY FROM MUSTER.

W. H. Reed Ens USNR

APPROVED: U. S. N. COMMANDING

EXAMINED: U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ARKITY (MSO 519) MONDAY (Day) 7 (Date) MAY (Month), 19 62

08-12 MOORED AS BEFORE. 0845 HOENIG, R.K., 528-29-88, SN, USN, AWOL SINCE 0754 2 MAY 1962 RETURNED, BEING AWOL FOR A PERIOD OF 120 HRS AND 15 MIN. 1042 ~~RECEIVED~~ WT MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITION NORMAL. 1128 WILLS, DE 290-62-23, SN, USN, RETURNED TO THE SHIP BEING AWOL FOR A PERIOD OF 3 HRS AND 38 MIN.

W H Arndt Ens USNR

12-16 MOORED AS BEFORE.

W H Arndt Ens USNR

16-20 MOORED AS BEFORE

W H Arndt Ens USNR

20-24 MORED AS BEFORE

W H Arndt Ens USNR

APPROVED: [signature] U. S. N. COMMANDING

EXAMINED: [signature] LT U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 R DATE TUESDAY (Day) 8 (Date) MAY (Month), 19 62

AT/~~PASSAGE~~ FROM CHARLESTON S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	165	4	10	CLR	29.94	73	71	—	—	—	—	—	—
02	165	6	10	CLR	29.93	73	71	—	—	—	—	—	—
03	165	6	10	CLR	29.93	73	71	—	—	—	—	—	—
04	170	8	10	CLR	30.02	70	66	—	—	—	—	—	—
05	170	8	10	CLR	30.02	70	66	—	—	—	—	—	—
06	165	6	10	CLR	30.06	71	66	—	—	—	—	—	—
07	165	6	10	CLR	30.06	76	66	—	—	—	—	—	—
08	160	5	10	CLR	30.07	79	68	—	—	—	—	—	—
09	170	7	10	CLR	30.08	84	69	—	—	—	—	—	—
10	170	7	10	CLR	30.08	85	70	—	—	—	—	—	—
11	170	8	10	CLR	30.08	83	71	—	—	—	—	—	—
12	170	8	10	CLR	30.07	82	73	—	—	—	—	—	—
13	170	8	10	CLR	30.08	82	73	—	—	—	—	—	—
14	170	8	10	CLR	30.06	82	74	—	—	—	—	—	—
15	170	9	10	CLR	30.03	81	73	—	—	—	—	—	—
16	170	9	10	CLR	30.03	80	73	—	—	—	—	—	—
17	170	9	10	CLR	30.04	78	73	—	—	—	—	—	—
18	170	6	10	CLR	30.04	80	73	—	—	—	—	—	—
19	170	6	10	CLR	30.01	78	71	—	—	—	—	—	—
20	165	5	8	CLR	29.98	74	70	—	—	—	—	—	—
21	165	5	8	CLR	29.98	72	68	—	—	—	—	—	—
22	160	4	8	CLR	29.98	71	67	—	—	—	—	—	—
23	160	4	8	CLR	29.97	71	67	—	—	—	—	—	—
24	160	4	8	CLR	29.98	70	67	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

0

REMARKS

~~04~~-04 MOORED STARBOARD SIDE TO BERTH UNIFORM 5 AT U.S. NAVAL STATION, CHARLESTON S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. SOPA IS COMMAND AT U.S. NAVAL STATION. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II, WITH MATERIAL CONDITION YOKE SET. W.H.B.

W.H. Buell Ens USNR

04-08 MOORED AS BEFORE 0750 MUSTERED THE CREW AT QUARTERS, ABSENTEES: WARD, T.L. 548-44-31, RM SN, AWOL SINCE 0756, 7 MAY 62.

W.H. Buell Ens USNR

APPROVED: L. Hawkins U. S. N. COMMANDING

EXAMINED: T.O. Jones, LT U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP HABILITY (MSO-519) TUESDAY (Day) 8 (Date) MAY (Month), 1962

Ø8-12 MOORED AS BEFORE. Ø946 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. 1Ø2Ø THE COMMANDING OFFICER HELD MAST AND IMPOSED NON-JUDICIAL PUNISHMENT AS FOLLOWS:

WILCS, D.E., 290 02 23, SN, USN, OFFENSE: ABSENCE WITHOUT LEAVE 3 HOURS 58 MINUTES. PUNISHMENT: WARNING.

HOENIG, R.K., 514 29 88, CSSN, USN, OFFENSE: VIOLATION ARTICLE 86, UCMJ, ABSENCE WITHOUT LEAVE 5 DAYS 40 MINUTES. PUNISHMENT: REDUCTION TO CSSN.

LUKAS, P.J., 535 72 34, RMSN, USN, OFFENSE: VIOLATION ARTICLE 86, UCMJ, FAILURE TO GO TO APPOINTED PLACE OF DUTY; INTENTIONALLY MISSING QUARTERS FOR MASTER. PUNISHMENT: REDUCTION TO RMSN.

R R Miller ENS. USNR

12-16 MOORED AS BEFORE.

R R Miller ENS USNR

16-2Ø MOORED AS BEFORE. 175Ø HELD FIREDRILL. 181Ø SECURED FROM FIRE DRILL.

R R Miller ENS. USNR

2Ø-24 MOORED AS BEFORE.

R R Miller ENS. USNR

APPROVED: D Hawkins U. S. N. COMMANDING

EXAMINED: U. C. Hoze, LT U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5R DATE WEDNESDAY (Day) 9 (Date) MAY (Month), 19 62

AT/~~PASSAGE~~ FROM CHARLESTON, SOUTH CAROLINA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	160	2	10	SCT	30.04	69	67	3			—	—	—
02	—	—	10	SCT	30.01	68	66	2			—	—	—
03	150	3	10	CLR	30.00	68	66	—	—	—	—	—	—
04	150	2	10	CLR	30.00	69	67	—	—	—	—	—	—
05	235	1	8	CLR	30.00	67	65	—	—	—	—	—	—
06	200	7	8	CLR	30.00	67	65	—	—	—	—	—	—
07	—	—	8	CLR	30.00	70	68	—	—	—	—	—	—
08	200	1	8	CLR	30.00	75	73	—	—	—	—	—	—
09	200	1	8	CLR	30.00	80	75	—	—	—	—	—	—
10	200	2	8	CLR	30.00	85	78	—	—	—	—	—	—
11	200	2	9	CLR	30.01	93	81	—	—	—	—	—	—
12	200	2	9	CLR	30.01	102	82	—	—	—	—	—	—
13	200	2	9	CLR	30.05	99	80	—	—	—	—	—	—
14	180	3	9	CLR	30.00	89	77	—	—	—	—	—	—
15	150	5	10	CLR	29.97	82	72	—	—	—	—	—	—
16	150	7	10	SCT	29.97	80	70	4	4500	AC	—	—	—
17	090	6	10	BKN	29.96	77	70	8	1600	CU	—	—	—
18	090	8	10	BKN	29.95	67	65	8	1600	CU	—	—	—
19	150	2	8	BKN	30.00	67	64	8	1600	CU	—	—	—
20	150	3	7	BKN	29.99	67	64	7	1600	NS	—	—	—
21	150	4	7	BKN	29.99	67	64	7	1600	NS	—	—	—
22	150	4	7	BKN	29.99	67	64	7	1600	NS	—	—	—
23	150	4	7	BKN	29.99	67	64	7	1600	NS	—	—	—
24	140	3	7	BKN	29.99	67	64	9	1600	NS	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

174

REMARKS

~~04-0400~~

06-04 MOORED STARBOARD SIDE TO BERTH UNIFORM SIX AT U.S. NAVAL STATION, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. SOPA IS COMINLANT AT U.S. NAVAL STATION. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. THE SHIP IS IN CONDITION OF READINESS II, WITH MATERIAL CONDITION YOKE SET.

R R Miller
ENS. USNR

04-08 MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS, ABSENTEES: WARD, T.L., 548 14 31, RMSA, USN, AWOL SINCE 0750, 7 MAY, 1962.

R R Miller
ENS. USNR

APPROVED: [signature] U. S. N. COMMANDING

EXAMINED: R. A. Fore, LT U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) WEDNESDAY (Day) 9 (Date) MAY (Month), 19 62

Ø8-12 MOORED AS BEFORE. 1Ø3Ø MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

D L Boyer
LTJG USNR

12-16 MOORED AS BEFORE.

D L Boyer
LTJG USNR

16-2Ø MOORED AS BEFORE

D L Boyer
LTJG USNR

2Ø-24 MOORED AS BEFORE.

D L Boyer
LTJG USNR

APPROVED: D L Hawkins U. S. N. COMMANDING

EXAMINED: B O Fore, LT U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

C

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE THURSDAY (Day) 10 (Date) MAY (Month), 1962

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	140	3	5	OVC	30.00	67	65	10	1600	CU	—	—	—
02	140	4	4	OVC	30.01	67	65	10	1600	CU	—	—	—
03	140	5	4	OVC	30.01	67	65	10	1600	CU	—	—	—
04	020	3	7	OVC	30.08	64	62	10	1600	CU	—	—	—
05	040	5	7	OVC	30.04	64	62	10	1600	CU	—	—	—
06	140	7	5	OVC	30.04	62	60	10	1600	CU	—	—	—
07	020	4	4	OVC	30.05	60	58	10	1600	CU	—	—	—
08	100	3	4	OVC	30.09	62	60	10	1600	NS	—	—	—
09	125	3	5	OVC	30.13	63	61	10	1600	NS	—	—	—
10	125	4	6	OVC	30.13	63	61	10	1600	NS	—	—	—
11	130	4	7	OVC	30.14	68	65	10	1600	NS	—	—	—
12	050	4	10	OVC	30.13	69	64	10	1600	NS	—	—	—
13	090	6	10	OVC	30.12	69	64	10	1600	NS	—	—	—
14	090	6	10	OVC	30.12	68	63	10	1600	NS	—	—	—
15	090	5	10	OVC	30.12	70	64	10	1600	NS	—	—	—
16	090	5	10	OVC	30.12	70	64	10	1600	NS	—	—	—
17	090	5	10	OVC	30.12	70	64	10	1600	NS	—	—	—
18	090	4	10	OVC	30.11	69	63	10	1600	NS	—	—	—
19	090	4	10	OVC	30.11	69	63	10	1600	NS	—	—	—
20	060	5	8	OVC	30.15	69	61	10	1600	NS	—	—	—
21	020	5	8	SCT	30.15	64	61	3	1600	NS	—	—	—
22	—	—	7	SCT	30.13	63	61	5	1600	NS	—	—	—
23	—	—	7	SCT	30.10	65	63	4	1600	NS	—	—	—
24	025	4	9	CLR	30.09	61	57	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

ØØ-Ø4 MOORED STARBOARD SIDE TO BERTH 4, PIER "J", U.S. NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. SOPA IS COMINLANT AT U.S. NAVAL BASE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

D L Boyer
LTJG USNR

Ø4-Ø8 MOORED AS BEFORE. Ø75Ø MUSTERED THE CREW AT QUARTERS. ABSENTEES: ~~NONE.~~ WARD, T.L., 548 14 31, RMSA, USN AWOL SINCE Ø75Ø OOD 7 MAY 1962.

D L Boyer
LTJG USNR

APPROVED: D. Hawkins U. S. N. COMMANDING

EXAMINED: A. A. Fiore, LT U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) THURSDAY (Day) 10 (Date) MAY (Month), 1962

0800 MOORED AS BEFORE. 0915 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

W. A. Driscoll Ens USNR

1200 MOORED AS BEFORE. 1418 WARD, T. L., 548 14 31, RMSA, USN, RETURNED ON BOARD HAVING BEEN AWOL SINCE 0750, 7 MAY, 1962. 1515 THE COMMANDING OFFICER HELD MAST AND IMPOSED NON-JUDICIAL PUNISHMENT AS FOLLOWS:

WARD, T. L., 548 14 31, RMSA, USN, OFFENSE: AWOL FROM 0750, 7 MAY, 1962 TO 1418, 10 MAY, 1962, A PERIOD OF THREE (3) DAYS, SEVEN (7) HOURS AND EIGHTEEN (18) MINUTES. PUNISHMENT: REDUCTION IN RATE TO SA, SUSPENDED FOR A PERIOD OF FOUR MONTHS.

W. A. Driscoll Ens USNR

1600 MOORED AS BEFORE.

W. A. Driscoll Ens USNR

2400 MOORED AS BEFORE.

W. A. Driscoll Ens USNR

APPROVED: L. L. Hawkins U. S. N. COMMANDING

EXAMINED: J. G. Fiore, LT U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5R DATE FRIDAY (Day) 11 (Date) MAY (Month), 19 62

AT/~~PASSAGE~~ FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	030	7	8	CLR	30.10	61	58	—	—	—	—	—	—
02	060	4	8	CLR	30.10	60	57	—	—	—	—	—	—
03	060	5	8	CLR	30.11	59	57	—	—	—	—	—	—
04	280	4	8	SCT	30.10	61	59	4	1600	CU	—	—	—
05	280	5	9	SCT	30.10	62	60	4	1600	CU	—	—	—
06	280	4	10	SCT	30.10	63	61	4	1600	CU	—	—	—
07	280	4	10	SCT	30.10	65	62	4	1600	CU	—	—	—
08	280	2	10	CLR	30.11	68	62	—	—	—	—	—	—
09	—	—	10	CLR	30.11	68	66	—	—	—	—	—	—
10	—	—	10	CLR	30.11	71	69	—	—	—	—	—	—
11	—	—	10	CLR	30.11	74	70	—	—	—	—	—	—
12	—	—	10	CLR	30.09	76	72	—	—	—	—	—	—
13	230	3	10	CLR	30.09	85	73	—	—	—	—	—	—
14	230	4	10	CLR	30.10	88	73	—	—	—	—	—	—
15	230	4	10	CLR	30.10	87	73	—	—	—	—	—	—
16	240	4	10	CLR	30.10	86	75	—	—	—	—	—	—
17	240	4	10	CLR	30.10	86	75	—	—	—	—	—	—
18	245	4	10	CLR	30.08	85	75	—	—	—	—	—	—
19	245	3	10	CLR	30.08	80	72	—	—	—	—	—	—
20	240	3	10	SCT	30.06	79	71	5	1600	CU/NS	—	—	—
21	240	3	8	BKN	30.04	77	72	9	1600	NS	—	—	—
22	240	4	8	BKN	30.04	75	73	7	1600	CU/NS	—	—	—
23	240	4	8	SCT	30.05	75	72	5	1600	CU/NS	—	—	—
24	010	4	10	CLR	30.05	74	64	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

0

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER UNIFORM, BERTH 5, U.S. NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. SOPA IS COMINCANT AT U.S. NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V, WITH MATERIAL CONDITION YOKE SET.

W. Bridal Ens USNR

04-08 MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES NONE

Ens W. Bridal USNR

APPROVED: J. Hawkins U. S. N. COMMANDING

EXAMINED: A. Fiore, Lt U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) FRIDAY (Day) 11 (Date) MAY (Month), 1962

0800-1200 MOORED AS BEFORE. 0900 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL. 0930 CONDUCTED WEEKLY TEST OF MAGAZINE SPRINKLING AND FLOODING SYSTEM; CONDITIONS SATISFACTORY.

R R Miller
ENS. USNR

1200-1600. MOORED AS BEFORE. 1330 COMMENCED CAPTAIN'S MATERIAL INSPECTION. 1430 SECURED FROM INSPECTION.

R R Miller
ENS. USNR

1600-2000 MOORED AS BEFORE.

R R Miller
ENS. USNR

2000-2400. MOORED AS BEFORE.

R R Miller
ENS. USNR

APPROVED: D D Hawkins U. S. N. COMMANDING

EXAMINED: A A Faire, LT U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE SATURDAY (Day) 12 (Date) MAY (Month), 19 62

AT/~~PASSAGE~~ FROM CHARLESTON, SOUTH TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	040	4	10	CLR	30.05	72	67	—	—	—	—	—	—
02	040	4	10	CLR	30.05	70	66	—	—	—	—	—	—
03	040	4	10	CLR	30.05	68	66	—	—	—	—	—	—
04	040	4	10	CLR	30.07	66	64	—	—	—	—	—	—
05	050	5	10	CLR	30.05	66	64	—	—	—	—	—	—
06	050	6	8	OVC	30.03	64	62	10	1600	CU/AC	—	—	—
07	045	6	8	OVC	30.04	64	62	10	1600	CU/AC	—	—	—
08	040	5	9	OVC	30.06	67	63	10	1600	CU/AC	—	—	—
09	090	6	10	BKN	30.06	69	64	8	1600	CU/AC	—	—	—
10	150	6	10	CLR	30.06	74	65	—	—	—	—	—	—
11	200	7	10	CLR	30.14	77	66	—	—	—	—	—	—
12	110	8	10	CLR	30.13	76	66	—	—	—	—	—	—
13	110	8	10	CLR	30.10	77	66	—	—	—	—	—	—
14	110	5	10	CLR	30.10	76	65	—	—	—	—	—	—
15	090	7	10	CLR	30.10	75	65	—	—	—	—	—	—
16	095	6	10	CLR	30.09	75	66	—	—	—	—	—	—
17	095	6	10	CLR	30.08	75	65	—	—	—	—	—	—
18	095	6	8	CLR	30.07	71	65	—	—	—	—	—	—
19	095	7	8	CLR	30.06	69	65	—	—	—	—	—	—
20	095	4	8	CLR	30.05	69	65	—	—	—	—	—	—
21	—	—	8	CLR	30.05	69	65	—	—	—	—	—	—
22	090	2	8	CLR	30.05	69	65	—	—	—	—	—	—
23	—	—	8	CLR	30.06	69	65	—	—	—	—	—	—
24	090	2	9	CLR	30.08	69	65	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

0

REMARKS

00-04. MOORED STARBOARD SIDE TO PIER UNIFORM BERTH SIX, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. SOPA IS COMINLANT AT U.S. NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

R R Miller
ENS. USNR

04-08. MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATION. ABSENTEES: NONE.

R R Miller
ENS. USNR

APPROVED: L M Hawkins U. S. N. COMMANDING

EXAMINED: A. A. Fiore, Jr. U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SATURDAY (Day) 12 (Date) MAY (Month), 19 62

08-12. MOORED AS BEFORE. 1000 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

R R Miller
ENS. USNR

12-16. MOORED AS BEFORE. 1345 USS NOTABLE (MSO-460) MOORED OUTBOARD TO PORT.

R R Miller
ENS. USNR

16-20. MOORED AS BEFORE.

R R Miller
ENS. USNR

20-24. MOORED AS BEFORE.

R R Miller
ENS. USNR

APPROVED: D D Harkins U. S. N. COMMANDING

EXAMINED: J A Fiore LT U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE SUNDAY (Day) 13 (Date) MAY (Month), 19 62

AT/~~PASSAGE FROM~~ CHARLESTON, SOUTH CAROLINA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	090	3	9	CLR	30.10	68	62	—	—	—	—	—	—
02	090	2	9	CLR	30.12	68	62	—	—	—	—	—	—
03	080	2	9	CLR	30.13	67	55	—	—	—	—	—	—
04	—	—	9	CLR	30.14	66	65	—	—	—	—	—	—
05	—	—	9	CLR	30.16	65	63	—	—	—	—	—	—
06	080	2	8	CLR	30.18	65	63	—	—	—	—	—	—
07	—	—	9	CLR	30.17	65	63	—	—	—	—	—	—
08	—	—	10	CLR	30.19	70	68	—	—	—	—	—	—
09	—	—	10	CLR	30.21	79	67	—	—	—	—	—	—
10	—	—	10	CLR	30.22	89	75	—	—	—	—	—	—
11	—	—	10	CLR	30.23	90	77	—	—	—	—	—	—
12	100	3	10	CLR	30.21	72	73	—	—	—	—	—	—
13	100	5	10	CLR	30.21	77	62	—	—	—	—	—	—
14	110	4	10	CLR	30.19	77	62	—	—	—	—	—	—
15	110	6	10	CLR	30.18	75	69	—	—	—	—	—	—
16	100	6	10	CLR	30.19	74	68	—	—	—	—	—	—
17	095	5	10	CLR	30.19	73	68	—	—	—	—	—	—
18	095	5	10	CLR	30.19	72	66	—	—	—	—	—	—
19	095	6	10	CLR	30.19	72	65	—	—	—	—	—	—
20	090	4	10	CLR	30.20	70	64	—	—	—	—	—	—
21	090	4	10	CLR	30.20	70	64	—	—	—	—	—	—
22	090	4	10	CLR	30.22	70	63	—	—	—	—	—	—
23	090	3	10	CLR	30.23	69	63	—	—	—	—	—	—
24	—	—	10	CLR	30.24	69	62	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04. MOORED STARBOARD SIDE TO PIER UNIFORM BERTH SIX, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. MOORED IN A NEST OF TWO SHIPS WITH USS NOTABLE (MSO-460) MOORED OUTBOARD TO PORT. SOPA IS COMINLANT AT U.S. NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

R R Miller
ENS. USNR

04-08. MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATION. ABSENTEES: NONE.

R R Miller
ENS. USNR

APPROVED: L Hawkins U. S. N. COMMANDING

EXAMINED: O. Fois, LT U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SUNDAY 13 (Day) MAY (Date) (Month), 1962

0800 MOORED AS BEFORE, 1112 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL.

D.L. Boyer
LTJG USNR

1200 MOORED AS BEFORE.

D.L. Boyer
LTJG USNR

1600 MOORED AS BEFORE.

D.L. Boyer
LTJG USNR

2000 MOORED AS BEFORE.

D.L. Boyer
LTJG USNR

APPROVED: D. Hawkins U. S. N. COMMANDING

EXAMINED: A.A. Ivory, LT U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (CMSO 579) ZONE DESCRIPTION +5R DATE MONDAY (Day) 14 (Date) MAY (Month), 19 62

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	—	—	10	CLR	30.25	68	62	—	—	—	—	—	—
02	—	—	10	CLR	30.24	67	61	—	—	—	—	—	—
03	—	—	10	CLR	30.22	67	63	—	—	—	—	—	—
04	095	2	10	CLR	30.19	67	64	—	—	—	—	—	—
05	095	4	10	CLR	30.20	67	65	—	—	—	—	—	—
06	100	6	10	CLR	30.22	70	68	—	—	—	—	—	—
07	100	3	7	BKN	30.22	72	67	8	4500	AC	—	—	—
08	135	3	8	BKN	30.26	72	67	8	4500	AC	—	—	—
09	140	3	8	OVC	30.29	78	66	10	4500	AC	—	—	—
10	165	2	9	OVC	30.32	78	65	10	4500	AC	—	—	—
11	—	—	9	OVC	30.33	77	66	10	4500	AC	—	—	—
12	—	—	9	OVC	30.33	76	66	8	1600	NS	—	—	—
13	210	4	10	BKN	30.33	77	66	6	1600	CU/ST	—	—	—
14	220	5	10	SCT	30.30	76	66	5	1600	CU/ST	—	—	—
15	220	5	10	SCT	30.28	76	63	5	1600	CU/ST	—	—	—
16	145	4	10	BKN	30.26	76	63	8	1600	CU	—	—	—
17	145	4	10	BKN	30.24	76	63	8	1600	CU	—	—	—
18	145	4	10	BKN	30.28	76	73	8	1600	CU	—	—	—
19	145	2	10	OVC	30.27	74	61	10	1600	CU	—	—	—
20	—	—	10	OVC	30.27	74	61	10	1600	CU	—	—	—
21	—	—	10	BKN	30.27	73	70	8	4500	AC	—	—	—
22	—	—	10	OVC	30.28	73	70	10	4500	AC	—	—	—
23	255	2	9	OVC	30.28	73	70	10	4500	AC	—	—	—
24	255	2	9	OVC	30.26	73	70	10	4500	AC	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

0

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER UNIFORM BERTH SIX, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. MOORED IN A NEST OF TWO SHIPS WITH U.S.S. NOTABLE (CMSO 460) MOORED OUTBOARD TO PORT. SOPA IS COMIN LANT AT U.S. NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

LTJG USNR

04-08 MOORED AS BEFORE. 0700 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

LTJG USNR

APPROVED: U. S. N. COMMANDING

EXAMINED: U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) MONDAY (Day) 14 (Date) MAY (Month), 19 62

0800 MOORED AS BEFORE. 0811 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL.

R R Miller ENS. USNR

1200 MOORED AS BEFORE.

R R Miller ENS. USNR

1600 MOORED AS BEFORE.

R R Miller ENS. USNR

2000 MOORED AS BEFORE.

R R Miller ENS. USNR

APPROVED: L L Hawkins U. S. N. COMMANDING

EXAMINED: O. A. Fore, LT U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE TUESDAY (Day) 15 (Date) MAY (Month), 1962

AT/~~PASSAGE~~ FROM CHARLESTON, SOUTH CAROLINA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	240	3	9	OVC	30.23	70	67	10	4500	AC			
02	240	4	9	OVC	30.23	70	67	10	4500	AC			
03	240	3	9	OVC	30.24	69	66	10	4500	AC			
04	—	—	9	OVC	30.19	71	61	10	4500	AC			
05	245	3	8	BKN	30.19	69	70	6	4500	AC			
06	245	2	8	BKN	30.19	66	59	6	4500	AC			
07	250	3	10	CLR	30.26	76	70	—	—	—	—	—	—
08	265	5	10	CLR	30.27	84	73	—	—	—	—	—	—
09	265	7	10	CLR	30.27	87	75	—	—	—	—	—	—
10	265	7	10	CLR	30.26	89	76	—	—	—	—	—	—
11	265	8	10	CLR	30.26	91	76	—	—	—	—	—	—
12	320	5	10	CLR	30.21	92	78	—	—	—	—	—	—
13	340	7	10	CLR	30.19	92	76	—	—	—	—	—	—
14	340	3	10	CLR	30.19	92	76	—	—	—	—	—	—
15	340	5	10	CLR	30.15	92	75	—	—	—	—	—	—
16	100	4	8	BKN	30.16	88	75	9	1600	CU	—	—	—
17	120	2	8	BKN	30.15	89	76	8	1600	CU	—	—	—
18	130	2	8	BKN	30.15	87	76	6	1600	CU	—	—	—
19	140	2	8	SCT	30.16	85	75	5	1600	CU	—	—	—
20	140	3	8	SCT	30.16	85	75	5	1600	CU	—	—	—
21	140	6	8	SCT	30.14	83	72	5	1600	CU	—	—	—
22	140	10	6	OVC	30.12	81	70	10	1600	CU	—	—	—
23	140	13	6	OVC	30.14	80	70	10	1600	CU	—	—	—
24	150	15	6	OVC	30.15	78	69	10	1600	CU	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

0

REMARKS

00-04. MOORED STARBOARD SIDE TO PIER UNIFORM BERTH SIX, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTER OUT FOREWARD TO THE PIER. MOORED IN A NEST OF TWO SHIPS WITH USS NOTABLE (MSO-460) OUTBOARD TO PORT. SOPA IS COMINLANT AT U.S. NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

R R Miller ENS. USNR

04-08. MOORED AS BEFORE. 0700 MUSTERED THE CREW AT QUARTERS ABSENTEES: ~~ZIAKLE, L. G., 638 17 00, SN USN~~ NONE.

R R Miller ENS. USNR

APPROVED: L Hawkins U. S. N. COMMANDING

EXAMINED: A. A. Feare, LT U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) TUESDAY (Day) 15 (Date) MAY (Month), 19 62

0800-1200 MOORED AS BEFORE 0810 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL

D.L. Boyer
LTJG USNR

1200-1600 MOORED AS BEFORE. 1230 PURSUANT TO CO USS ABILITY ORDERS SER. 110 OF 15 MAY 1962 THE COMMANDING OFFICER LEFT THE SHIP WITH ORDERS TO REPORT TO U.S. NAVAL HOSPITAL, CHARLESTON, S.C. FOR TAD UNDER TREATMENT. THE EXECUTIVE OFFICER ASSUMED TEMPORARY COMMAND.

D.L. Boyer
LTJG USNR

1600-2000 MOORED AS BEFORE. 1730 CONDUCTED FIRE DRILL. 1738 SECURED FROM FIRE DRILL

D.L. Boyer
LTJG USNR

2000-2400 MOORED AS BEFORE.

D.L. Boyer
LTJG USNR

APPROVED: D.A. Ford, LT U. S. N. COMMANDING

EXAMINED: D.A. Ford, LT U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE WEDNESDAY (Day) 16 (Date) MAY (Month), 1962

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	145	8	6	OVC	30.18	74	68	10	1600	CU	—	—	—
02	145	6	6	OVC	30.19	72	68	10	1600	CU	—	—	—
03	150	5	8	SCT	30.18	71	67	5	1600	CU	—	—	—
04	150	3	9	SCT	30.19	72	68	4	1600	CU	—	—	—
05	145	3	10	SCT	30.20	76	69	3	1600	CU	—	—	—
06	145	2	10	SCT	30.21	78	70	3	1600	CU	—	—	—
07	190	1	10	SCT	30.22	79	71	3	1600	CU	—	—	—
08	190	1	10	SCT	30.23	80	72	4	1600	CU	—	—	—
09	190	1	10	SCT	30.24	81	72	3	1600	CU	—	—	—
10	190	1	10	SCT	30.25	83	72	4	1600	CU	—	—	—
11	240	2	10	SCT	30.24	83	72	5	1600	CU	—	—	—
12	240	3	10	SCT	30.24	83	72	2	1600	CU	—	—	—
13	240	3	10	SCT	30.24	84	73	2	1600	CU	—	—	—
14	240	3	10	SCT	30.24	83	72	2	1600	CU	—	—	—
15	240	5	10	SCT	30.25	81	70	3	1600	CU	—	—	—
16	240	6	10	SCT	30.24	80	69	4	1600	CU	—	—	—
17	240	5	10	SCT	30.20	79	69	5	1600	CU	—	—	—
18	240	5	10	SCT	30.18	78	68	5	1600	CU	—	—	—
19	245	4	10	SCT	30.15	76	68	4	1600	CU	—	—	—
20	055	7	10	CLR	30.18	73	66	—	—	—	—	—	—
21	055	6	10	CLR	30.18	73	66	—	—	—	—	—	—
22	030	7	10	CLR	30.18	73	66	—	—	—	—	—	—
23	030	7	10	CLR	30.19	76	63	—	—	—	—	—	—
24	030	4	10	CLR	30.20	74	60	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

ØØ-Ø4 MOORED STARBOARD SIDE TO BERTH 6 PIER "U" AT U.S. NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. MOORED IN A NEST OF TWO SHIPS WITH USS NOTABLE (MSO 46Ø) MOORED OUTBOARD TO ~~STA~~ PORT DCS. SOPA IS COMINLANT AT U.S. NAVAL BASE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. SHIP IS RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONPITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

D.L. Boyd
LTJG USNR

Ø4-Ø8 MOORED AS BEFORE Ø7ØØ MUSTERED THE CREW AT QUARTERS. ~~ABSENTEES~~: CARLSON, A.L., EN2, 189 19 88, USN AND ZIRKLE, L.G., SN, 538 17 00, USN.

D.L. Boyd
LTJG USNR

APPROVED: G.A. Fors, LT U.S.N. COMMANDING

EXAMINED: G.A. Fors, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) WEDNESDAY (Day) 16 (Date) MAY (Month), 19 62

0900 CARLSON, A.L., 489 19 88, EN2, USN RETURNED ON BOARD, HAVING BEEN AWOL SINCE 0645 THIS DATE.
0800-12. MOORED AS BEFORE. A 0935 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

R R Miller ENS. USNR

12-16. MOORED AS BEFORE.

R R Miller ENS. USNR

16-20. MOORED AS BEFORE

R R Miller ENS. USNR

20-24. MOORED AS BEFORE.

R R Miller ENS. USNR

APPROVED: A. A. Forsyth U. S. N. COMMANDING

EXAMINED: A. A. Forsyth U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE THURSDAY (Day) 17 (Date) MAY (Month), 19 62

AT/PASSAGE FROM CHARLESTON, SOUTH CAROLINA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	035	3	10	SCT	30.20	72	58	3	1600	CU	—	—	—
02	035	3	10	BKN	30.21	70	56	7	1600	CU	—	—	—
03	035	3	10	OVC	30.22	68	57	10	1600	CU	—	—	—
04	040	3	8	OVC	30.24	66	55	10	1600	CU	—	—	—
05	040	3	8	OVC	30.24	66	55	10	1600	CU	—	—	—
06	040	3	8	OVC	30.26	66	55	10	1600	CU	—	—	—
07	060	3	8	OVC	30.25	68	65	10	1600	CU	—	—	—
08	060	3	8	OVC	30.27	70	67	10	1600	CU	—	—	—
09	060	2	9	OVC	30.27	73	70	10	1600	CU	—	—	—
10	060	2	10	SCT	30.28	71	68	5	1600	CU	—	—	—
11	060	2	10	SCT	30.27	83	73	3	1600	CU	—	—	—
12	065	6	10	SCT	30.26	83	71	4	1600	CU	—	—	—
13	190	2	10	SCT	30.22	82	71	5	1600	CU	—	—	—
14	160	6	10	SCT	30.22	79	71	5	1600	CU	—	—	—
15	170	4	10	SCT	30.22	78	70	5	1600	CU	—	—	—
16	170	4	10	CLR	30.22	78	70	—	—	—	—	—	—
17	170	4	10	CLR	30.20	77	70	—	—	—	—	—	—
18	160	3	10	CLR	30.16	75	69	—	—	—	—	—	—
19	160	2	10	CLR	30.16	74	69	—	—	—	—	—	—
20	170	2	10	CLR	30.14	72	68	—	—	—	—	—	—
21	180	3	8	CLR	30.14	70	68	—	—	—	—	—	—
22	180	3	8	CLR	30.14	70	68	—	—	—	—	—	—
23	170	3	8	CLR	30.17	70	68	—	—	—	—	—	—
24	—	—	8	BKN	30.18	69	67	8	20,000	CI	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

0

REMARKS

00-04. MOORED STARBOARD SIDE TO PIER UNIFORM BERTH SIX AT U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTER OUT FORWARD TO THE PIER. MOORED IN A NEST OF TWO SHIPS WITH USS NOTABLE (MSO-460) OUTBOARD TO PORT. SOPA IS COMINLANT AT U.S. NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

R.R. Miller ENS. USNR

04-08. MOORED AS BEFORE. 0700 MUSTERED THE CREW AT QUARTERS. ABSENTEES: ZIRKLE, L.G., 538 1700, SN USN, AWOL SINCE 0645 16 MAY 1962; FADER, D.R., 479 7071, BM3 USN, AWOL SINCE 0645 THIS DATE.

R.R. Miller ENS. USNR

APPROVED: A.A. Forgit U. S. N. COMMANDING

EXAMINED: A.A. Forgit U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) ~~THURSDAY~~ (Day) 17 (Date) MAY (Month), 19 62

0800-1200 MOORED AS BEFORE ~~0800-1200 MADE~~ DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. 0910 FADER, D.R., 477 07 71, BM3, USN, RETURNED ON BOARD, HAVING BEEN AWOL SINCE 0645 THIS DATE.

R R Miller ENS USNR

1200-1600 MOORED AS BEFORE.

R R Miller ENS. USNR

1600-2000 MOORED AS BEFORE.

R R Miller ENS-USNR

2000-2400 MOORED AS BEFORE.

R R Miller ENS USNR

APPROVED: A. A. Fiore, LT U. S. N. COMMANDING

EXAMINED: A. A. Fiore, LT U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION _____ DATE FRIDAY (Day) 18 (Date) MAY (Month), 19 62

AT/~~PASSAGE~~ FROM CHARLESTON, SOUTH CAROLINA TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	—	—	9	BKN	30.18	69	67	8	20,000	CI	—	—	—
02	010	2	8	BKN	30.18	69	67	8	20,000	CI	—	—	—
03	020	6	9	BKN	30.18	69	67	8	1600	CU/CI	—	—	—
04	070	5	9	BKN	30.17	69	66	8	1600	CU	—	—	—
05	020	5	10	BKN	30.16	69	67	8	1600	CU	—	—	—
06	020	5	10	SCT	30.16	67	65	5	1600	NS/ST	—	—	—
07	015	3	10	SCT	30.18	67	65	4	1600	NS/ST	—	—	—
08	020	2	10	SCT	30.18	69	67	4	4500	ST	—	—	—
09	020	3	10	SCT	30.19	71	69	3	4500	AC	—	—	—
10	040	4	10	SCT	30.19	73	70	3	4500	AC	—	—	—
11	130	6	10	SCT	30.20	77	72	5	4500	AC	—	—	—
12	140	4	10	SCT	30.20	82	75	5	4500	AC	—	—	—
13	150	4	10	SCT	30.19	85	73	5	4500	AC	—	—	—
14	150	4	10	SCT	30.19	85	73	5	4500	AC	—	—	—
15	150	4	10	SCT	30.16	84	72	5	4500	AC	—	—	—
16	150	5	10	CLR	30.11	78	72	—	—	—	—	—	—
17	155	7	10	CLR	30.10	75	68	—	—	—	—	—	—
18	160	6	10	CLR	30.10	76	68	—	—	—	—	—	—
19	160	5	10	CLR	30.09	76	67	—	—	—	—	—	—
20	160	5	9	CLR	30.12	76	67	—	—	—	—	—	—
21	160	5	9	CLR	30.16	75	67	—	—	—	—	—	—
22	—	—	9	CLR	30.16	72	70	—	—	—	—	—	—
23	—	—	9	CLR	30.19	71	69	—	—	—	—	—	—
24	270	2	10	CLR	30.19	70	68	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

0

REMARKS

0800-0804 MOORED STARBOARD SIDE TO PIER UNIFORM BERTH SIX AT U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTER OUT FORWARD TO THE PIER. MOORED IN A NEST OF TWO SHIPS WITH USS NOTABLE (MSO-460) OUTBOARD TO PORT. SOPA IS COMINCANT AT U.S. NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

R.R. Miller ENS. USNR

0804-0808 MOORED AS BEFORE. 0760 MUSTERED THE CREW AT QUARTERS. ABSENTEES: ZIRKLE, L.G., 538 1700, SN, USN, AWOL SINCE 0645 16 MAY 1962; PIMEROY, JOHN L., 549 1087, SA, USN, AWOL SINCE 0645 THIS DATE.

R.R. Miller ENS. USNR

APPROVED: J.A. Fors, II U. S. N. Acting COMMANDING

EXAMINED: J.A. Fors, II U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) FRIDAY (Day) 18 (Date) MAY (Month), 1962

~~08-12~~ ~~04-08~~ MOORED AS BEFORE. 1000 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL. 0926 POMEROY, JOHN L. 549 10 87, SA, USN, RETURNED TO SHIP BEING ABSENT TWO (2) HOURS AND TWENTY-SIX (26) MINUTES 0930 CONDUCTED WEEKLY TEST OF MAGAZINE SPRINKLER SYSTEM. TEST SATISFACTORY. DLB

D L Boyd
LTJG USNR

12-16
~~08-12~~ MOORED AS BEFORE. DLB

D L Boyd
LTJG USNR

16-20 MOORED AS BEFORE.

D L Boyd
LTJG USNR

20-24 MOORED AS BEFORE.

D L Boyd
LTJG USNR

APPROVED: O. A. Troiano U. S. N. COMMANDING

EXAMINED: O. A. Troiano U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION _____ DATE SATURDAY (Day) 19 (Date) MAY (Month), 1962

AT/~~PASSAGE~~ FROM CHARLESTON, SOUTH CAROLINA TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	270	2	10	CLR	30.19	70	68	—	—	—	—	—	—
02	270	2	10	CLR	30.19	70	68	—	—	—	—	—	—
03	270	2	10	CLR	30.19	70	68	—	—	—	—	—	—
04	070	2	5	OVC	30.19	70	68	10	4500	AC	—	—	—
05	070	2	5	OVC	30.19	70	68	10	4500	AC	—	—	—
06	070	3	5	OVC	30.19	70	68	10	4500	AC	—	—	—
07	070	4	7	OVC	30.20	71	69	10	4500	AC	—	—	—
08	300	5	9	SCT	30.20	81	73	3	20,000	CI	—	—	—
09	300	4	9	CLR	30.19	89	78	—	—	—	—	—	—
10	300	3	10	CLR	30.18	96	81	—	—	—	—	—	—
11	300	3	10	CLR	30.18	100	83	—	—	—	—	—	—
12	300	2	10	CLR	30.18	98	83	—	—	—	—	—	—
13	—	—	10	CLR	30.18	99	84	—	—	—	—	—	—
14	—	—	10	CLR	30.17	99	84	—	—	—	—	—	—
15	050	3	10	CLR	30.17	99	84	—	—	—	—	—	—
16	—	—	9	OVC	30.10	92	77	10	1600	NS/CU	—	—	—
17	—	—	9	OVC	30.07	90	79	10	1600	NS/CU	—	—	—
18	200	5	9	OVC	30.07	86	75	10	1600	NS/CU	—	—	—
19	200	6	8	OVC	30.06	86	75	10	1600	NS/CU	—	—	—
20	200	4	8	BKN	30.07	83	74	9	1600	NS/CU	—	—	—
21	200	3	8	BKN	30.08	79	73	8	1600	NS/CU	—	—	—
22	200	2	8	BKN	30.08	78	73	8	1600	NS/CU	—	—	—
23	200	1	8	BKN	30.07	78	73	8	1600	NS/CU	—	—	—
24	200	6	8	OVC	30.07	76	73	10	1600	NS/CU	—	—	—

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

0

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER UNIFORM BERTH SIX U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTER OUT FORWARD TO THE PIER. MOORED IN ANEST OF TWO SHIPS WITH USS NATABLE (MSO-460) OUTBOARD TO PORT. SOPA IS COMMENCING AT U.S. NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS I WITH MATERIAL CONDITION YOKE SET.

D.L. Boyd, LTJG USNR

04-08 MOORED AS BEFORE. 0760 MUSTERED THE CREW ON STATION. ABSENTEES: TINKLE, G.G. 538 17 00, SN, USN, AWOL SINCE 0645 16 MAY 1962.

D.L. Boyd
LTJG USNR

APPROVED: O.A. Fiore, LT U. S. N. COMMANDING

EXAMINED: O.A. Fiore, LT U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-379) SATURDAY (Day) 19 (Date) MAY (Month), 19 62

0800-1200 MOORED AS BEFORE. 1000 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL.

Ens USN Friedl USNR

1200-1600 MOORED AS BEFORE.

Ens USN Friedl USNR

1600-2000 MOORED AS BEFORE.

Ens USN Friedl USNR

2000-2400 MOORED AS BEFORE.

Ens USN Friedl USNR

APPROVED: U. S. N. COMMANDING

EXAMINED: U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5R DATE SUNDAY (Day) 20 (Date) MAY (Month), 19 62

AT/~~PASSAGE~~ FROM CHARLESTON, SOUTH CAROLINA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	180	7	8	OVC	30.08	75	72	10	1600	CU	—	—	—
02	180	5	8	OVC	30.09	74	71	10	1600	CU	—	—	—
03	170	2	7	OVC	30.09	75	70	10	1600	CU	—	—	—
04	235	3	7	R	30.08	72	61	10	1600	NS	—	—	—
05	235	3	10	OVC	30.07	72	68	10	1600	NS	—	—	—
06	235	3	10	OVC	30.06	72	67	10	1600	NS	—	—	—
07	235	3	10	OVC	30.05	72	65	10	1600	NS	—	—	—
08	235	3	10	BKN	30.07	78	69	6	4500	AC	—	—	—
09	225	6	10	SCT	30.08	82	74	5	4500	AC	—	—	—
10	220	5	10	SCT	30.08	89	74	4	4500	AC	—	—	—
11	220	5	10	SCT	30.08	92	76	4	4500	AC	—	—	—
12	090	3	10	CLR	30.05	93	77	—	—	—	—	—	—
13	090	3	10	CLR	30.04	94	78	—	—	—	—	—	—
14	—	—	10	CLR	30.03	94	78	—	—	—	—	—	—
15	—	—	10	CLR	30.01	90	78	—	—	—	—	—	—
16	—	—	10	CLR	30.00	86	78	—	—	—	—	—	—
17	—	—	10	CLR	29.99	85	78	—	—	—	—	—	—
18	—	—	10	CLR	29.97	83	78	—	—	—	—	—	—
19	—	—	10	CLR	29.96	82	78	—	—	—	—	—	—
20	—	—	10	CLR	29.96	78	75	—	—	—	—	—	—
21	—	—	10	CLR	29.96	77	74	—	—	—	—	—	—
22	—	—	10	CLR	29.97	76	73	—	—	—	—	—	—
23	—	—	10	CLR	29.97	75	72	—	—	—	—	—	—
24	—	—	10	CLR	29.97	75	72	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

0

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER UNIFORM BERTH SIX U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTER OUT FORWARD TO THE PIER. MOORED IN A NEST OF TWO SHIPS WITH USS NOTABLE (MSO-460) OUTBOARD TO PORT. SOPA IS COMINCHANT AT U.S. NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

Charles J. Dreidt USNR

04-08 MOORED AS BEFORE. 0700 MUSTERED THE CREW ON STATION. ABSENTEES: ZIRKLE, L. G., 538 1700, SN, USN. AWOL SINCE 0645 16 MAY, 1962.

Charles J. Dreidt USNR

APPROVED: O. A. Score, LT U. S. N. COMMANDING

EXAMINED: O. A. Score, LT U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SUNDAY (Day) 20 (Date) MAY (Month), 19 62

0800-1200 MOORED AS BEFORE. MM2 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

Ens W. H. Friedl USNR

1200-1600 MOORED AS BEFORE.

Ens W. H. Friedl USNR

1600-2000 MOORED AS BEFORE.

Ens W. H. Friedl USNR

2000-2400 MOORED AS BEFORE.

Ens W. H. Friedl USNR

APPROVED: R. A. Fears, Lt — Actg U. S. N. COMMANDING

EXAMINED: R. A. Fears, LT — U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION 5R DATE MONDAY (Day) 21 (Date) MAY (Month), 19 62

AT/PASSAGE FROM CHARLESTON, SOUTH CAROLINA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	220	4	10	CLR	29.96	74	72	—	—	—	—	—	—
02	230	4	10	CLR	29.94	73	71	—	—	—	—	—	—
03	230	3	10	CLR	29.94	73	70	—	—	—	—	—	—
04	235	2	10	CLR	29.92	74	70	—	—	—	—	—	—
05	235	2	10	CLR	29.93	74	70	—	—	—	—	—	—
06	235	1	10	CLR	29.93	74	70	—	—	—	—	—	—
07	340	2	10	CLR	29.93	82	72	—	—	—	—	—	—
08	—	—	10	CLR	29.94	89	77	—	—	—	—	—	—
09	320	3	10	CLR	29.95	95	80	—	—	—	—	—	—
10	320	2	10	CLR	29.92	102	83	—	—	—	—	—	—
11	320	1	10	CLR	29.91	102	82	—	—	—	—	—	—
12	320	3	10	CLR	29.90	98	80	—	—	—	—	—	—
13	320	3	10	SCT	29.90	95	77	2	1600	CV/AC	—	—	—
14	330	3	10	SCT	29.89	95	77	2	1600	CV/AC	—	—	—
15	330	1	10	BKN	29.87	95	78	8	1600	CV/AC	—	—	—
16	330	4	10	SCT	29.87	96	76	5	1600	CV/AC	—	—	—
17	325	6	10	SCT	29.87	92	76	5	1600	CV/AC	—	—	—
18	320	40	10	OVC	29.89	84	73	10	1600	NS	—	—	—
19	330	8	10	OVC	29.90	83	73	10	1600	NS	—	—	—
20	320	4	10	OVC	29.90	73	69	10	1600	NS	—	—	—
21	320	3	10	OVC	29.90	73	67	10	1600	NS	—	—	—
22	250	2	10	OVC	29.91	72	67	10	1600	NS	—	—	—
23	—	—	10	OVC	29.92	70	66	10	1600	NS	—	—	—
24	150	2	10	OVC	29.92	73	70	10	1600	NS	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

0600-0604 MOORED STARBOARD SIDE TO PIER UNIFORM BERTH 6, U.S. NAVAL STATION, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTER OUT FORWARD TO THE PIER. MOORED IN A NEST OF TWO SHIPS WITH U.S.S. NOTABLE (MSO-466) MOORED OUTBOARD TO PORT. SOPA IS COMMUNICANT AT U.S. NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II, WITH MATERIAL CONDITION YOKE SET.

Ens USN

0604-0608 MOORED AS BEFORE. 0700 MUSTERED THE CREW AT QUARTERS. ABSENTEES: ZIRKLE, L.G. 538 17 00, SN, USN, AWOL SINCE 0645 16 MAY 1962.

Ens USNR

APPROVED: LT U. S. N. COMMANDING

EXAMINED: LT U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) MONDAY (Day) 21 (Date) MAY (Month), 1962

0S-12 MOORED AS BEFORE 0830 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL

LTJG USNR

12-16 MOORED AS BEFORE

LTJG USNR

16-20 MOORED AS BEFORE

LTJG USNR

20-24 MOORED AS BEFORE

LTJG USNR

APPROVED: A. A. Ivars, LT U. S. N. COMMANDING

EXAMINED: A. A. Ivars, LT U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 R DATE TUESDAY (Day) 22 (Date) MAY (Month), 1962

AT/PASSAGE FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	150	2	6	OVC	29.92	73	70	10	1600	NS	—	—	—
02	150	2	6	OVC	29.92	73	70	10	1600	NS	—	—	—
03	150	3	7	OVC	29.92	73	70	10	1600	NS	—	—	—
04	150	1	8	CLR	29.92	73	70	—	—	—	—	—	—
05	—	—	9	CLR	29.93	73	70	—	—	—	—	—	—
06	—	—	10	CLR	29.94	73	70	—	—	—	—	—	—
07	—	—	10	CLR	29.94	75	70	—	—	—	—	—	—
08	—	—	10	CLR	29.94	79	71	—	—	—	—	—	—
09	200	1	10	CLR	29.95	80	72	—	—	—	—	—	—
10	210	3	10	CLR	29.95	84	74	—	—	—	—	—	—
11	220	4	10	CLR	29.96	86	75	—	—	—	—	—	—
12	220	5	10	CLR	29.96	88	76	—	—	—	—	—	—
13	220	5	10	CLR	29.97	90	72	—	—	—	—	—	—
14	205	7	10	CLR	29.96	88	76	—	—	—	—	—	—
15	205	7	10	SCT	29.96	86	75	5	1600	CU	—	—	—
16	235	2	8	BKN	29.96	80	75	8	1600	CU/NS	—	—	—
17	205	3	8	BKN	29.98	81	76	7	1600	CU/NS	—	—	—
18	195	5	8	BKN	29.96	80	75	7	1600	CU/NS	—	—	—
19	195	4	8	BKN	29.97	78	74	7	1600	CU/NS	—	—	—
20	205	3	8	SCT	29.98	78	74	5	1600	NS	—	—	—
21	150	4	8	BKN	29.99	76	74	8	1600	CU	—	—	—
22	120	3	8	CLR	30.00	76	74	—	—	—	—	—	—
23	205	4	8	CLR	30.00	76	74	—	—	—	—	—	—
24	125	5	8	SCT	29.95	76	72	5	1600	CU/CI	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

0

REMARKS

00-04 MOORED STARBOARD SIDE TO BERTH 6 PIER "U", U.S. NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. MOORED IN A NEST OF TWO SHIPS WITH U.S.S. NOTABLE (MSO-468) MOORED OUTBOARD TO PORT. SOPA IS COMINLANT AT U.S. NAVAL BASE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION of READINESS V WITH MATERIAL CONDITION YOKE SET.

LTJG USNR

04-08 MOORED AS BEFORE. 0700 MUSTERED THE CREW AT QUARTERS. ABSENTEES; ZIRKLE, L.G. 538 17 00, SN, USN. AWOL SINCE 0645 16 MAY 1962

LTJG USNR

APPROVED: C.O. Ford, LT U. S. N. COMMANDING

EXAMINED: C.O. Ford, LT U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) TUESDAY (Day) 22 (Date) MAY (Month), 19 62

0800-1200 MOORED AS BEFORE. 0830 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL.

W. E. Jewell Ens USNR

1200-1600 MOORED AS BEFORE.

W. E. Jewell Ens USNR

1600-2000 MOORED AS BEFORE.

W. E. Jewell Ens USNR

2000-2400 MOORED AS BEFORE.

W. E. Jewell Ens USNR

APPROVED: O. A. Scarr, LT U. S. N. COMMANDING

EXAMINED: O. A. Scarr, LT U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5R DATE WEDNESDAY (Day) 23 (Date) MAY (Month), 1962

AT/PASSAGE FROM CHARLESTON, SOUTH CAROLINA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	120	6	9	BKN	29.90	76	69	6	1600	CU/CI			
02	130	3	9	SCT	29.95	76	71	4	1600	CU/CI			
03	130	2	9	BKN	30.00	76	74	8	1600	CU/CI			
04	120	2	8	BKN	30.00	76	74	7	1600	CU			
05	120	2	8	BKN	30.00	76	74	7	1600	CU			
06	120	2	8	BKN	30.03	76	74	8	1600	CU			
07	120	2	8	BKN	30.05	77	74	8	1600	CU/AC			
08	120	2	8	SCT	30.05	81	75	3	4500	AC			
09	120	2	9	SCT	30.05	84	77	1	4500	AC			
10	120	2	10	SCT	30.06	87	78	1	4500	AC			
11	120	2	10	SCT	30.05	87	76	1	4500	AC			
12	120	2	9	SCT	30.05	87	76	2	20,000	CI			
13	120	4	8	SCT	30.04	85	76	3	4500	AC			
14	120	4	9	SCT	30.04	83	76	4	20,000	CI			
15	120	5	9	SCT	30.03	82	76	3	1600	CU/CI			
16	120	5	9	OVC	30.03	80	74	10	1600	CU/CI			
17	120	3	9	OVC	30.03	80	74	10	1600	CU/CI			
18	135	9	9	OVC	30.02	75	73	10	1600	CU			
19	130	9	9	OVC	30.02	74	73	10	1600	CU			
20	130	4	8	BKN	30.02	75	73	8	1600	CU			
21	130	5	8	BKN	30.02	75	73	8	1600	CU			
22	140	6	8	BKN	30.00	76	74	8	1600	CU			
23	160	6	8	BKN	30.00	76	74	8	1600	CU			
24	—	—	8	BKN	30.00	76	74	6	1600	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER UNIFORM BERTH 6, U.S. NAVAL STATION, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTER FORWARD TO THE PIER. MOORED IN A NEST OF TWO SHIPS WITH U.S.S. NOTABLE (MSO-442) MOORED OUTBOARD TO PORT. SOPA IS COMINLANT AT U.S. NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS I WITH MATERIAL CONDITION YOKE SET.

W. A. Riedell Ens USNR

04-08 MOORED AS BEFORE. 0730 MUSTERED THE CREW AT QUARTERS. ABSENTEES: BIRKLE, L. E. 538 176 SN, USN AWOL SINCE 0645 14 MAY 1962.

W. A. Riedell Ens USNR

APPROVED: C. A. Score, LT U. S. N. COMMANDING

EXAMINED: C. A. Score, LT U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) WEDNESDAY (Day) 23 (Date) MAY (Month), 19 62

08-12. MOORED AS BEFORE. 0930 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL.

R R Miller ENS. USNR

12-16. MOORED AS BEFORE.

R R Miller ENS. USNR

16-20- MOORED AS BEFORE

R R Miller ENS. USNR

20-24. MOORED AS BEFORE.

R R Miller ENS. USNR

APPROVED: R A Teare LT U. S. N. COMMANDING

EXAMINED: R A Teare, LT U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 R DATE THURSDAY (Day) 24 (Date) MAY (Month), 19 62

AT/PASSAGE FROM CHARLESTON, SOUTH CAROLINA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	—	—	8	SCT	29.99	76	74	4	1600	CU	—	—	—
02	—	—	8	SCT	29.99	76	74	4	1600	CU/AC	—	—	—
03	—	—	8	SCT	29.98	76	74	3	1600	CU/AC	—	—	—
04	—	—	8	SCT	29.98	76	74	4	4500	AC	—	—	—
05	—	—	8	SCT	30.01	75	74	4	4500	AC	—	—	—
06	—	—	8	SCT	30.02	76	74	4	4500	AC	—	—	—
07	195	3	8	SCT	30.03	81	73	4	4500	AC	—	—	—
08	240	4	9	SCT	30.04	85	76	4	4500	AC	—	—	—
09	240	4	9	SCT	30.04	86	75	4	4500	AC	—	—	—
10	240	4	9	SCT	30.04	92	79	4	4500	AC	—	—	—
11	240	4	10	CLR	30.00	92	79	—	—	—	—	—	—
12	250	4	10	CLR	30.00	91	79	—	—	—	—	—	—
13	240	4	10	CLR	29.99	90	78	—	—	—	—	—	—
14	220	5	10	SCT	29.98	90	78	2	1600	CU	—	—	—
15	220	8	10	SCT	29.98	90	78	2	1600	CU	—	—	—
16	220	8	10	SCT	29.99	90	77	2	1600	CU	—	—	—
17	200	8	10	SCT	29.98	89	76	2	1600	CU	—	—	—
18	210	6	10	SCT	29.98	81	76	5	1600	CU	—	—	—
19	200	6	8	SCT	29.98	82	72	5	1600	CU	—	—	—
20	160	4	8	SCT	30.00	81	76	4	1600	NS	—	—	—
21	150	5	8	CLR	30.00	80	75	—	—	—	—	—	—
22	150	4	8	SCT	30.02	79	74	4	1600	CU	—	—	—
23	160	4	8	SCT	30.03	78	73	4	1600	CU	—	—	—
24	210	4	8	CLR	30.01	76	70	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400
0

REMARKS

0000-0004. MOORED STARBOARD SIDE TO PIER UNIFORM BERTH 6, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORWARD TO THE PIER. MOORED IN ANEST OF TWO SHIPS WITH USS NOTABLE (MSO-460) MOORED OUTBOARD TO PORT. SOPA IS COMINLANT AT U.S. NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

R R Miller ENS. USNR

0004-0008. MOORED AS BEFORE. 0700 MUSTERED THE CREW AT QUARTERS. ABSENTEES: ZIRKLE, L.G, 538 1700, SN, USN, AWOL SINCE 0645, 16 MAY 1962.

R R Miller ENS. USNR

APPROVED: A. A. Fore, LT U. S. N. COMMANDING

EXAMINED: A. A. Fore, LT U. S. N. NAVIGATOR

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP PABLITO (AMSO-579) THURSDAY (Day) 24 (Date) MAY (Month), 19 62

0800-1200 MOORED AS BEFORE. MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL.

LTJG USNR

1200-1600 MOORED AS BEFORE.

LTJG USNR

1600-2000 MOORED AS BEFORE.

LTJG USNR

2000-2400 MOORED AS BEFORE.

LTJG USNR

APPROVED: A. A. Frare, LT U. S. N. COMMANDING

EXAMINED: A. A. Frare, LT U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILENE (MSO-519) ZONE DESCRIPTION +5 DATE FRIDAY (Day) 25 (Date) MAY (Month), 19 62

AT/~~PASSAGE~~ FROM CHARLESTON, SOUTH CAROLINA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	140	1	9	CLR	30.00	72	70	—	—	—	—	—	—
02	220	9	9	SCT	30.00	77	75	4	1600	CU/NS	—	—	—
03	230	3	9	SCT	30.00	77	75	3	1600	CU/NS	—	—	—
04	—	—	8	SCT	30.02	75	73	3	1600	CU/NS	—	—	—
05	—	—	6	SCT	30.04	75	73	3	1600	CU/NS	—	—	—
06	220	3	7	CLR	30.06	76	73	—	—	—	—	—	—
07	255	4	9	CLR	30.06	80	74	—	—	—	—	—	—
08	280	5	9	CLR	30.06	87	75	—	—	—	—	—	—
09	290	6	9	CLR	30.07	93	77	—	—	—	—	—	—
10	325	8	9	CLR	30.08	94	77	—	—	—	—	—	—
11	325	9	9	CLR	30.08	96	77	—	—	—	—	—	—
12	325	10	9	CLR	30.09	91	71	—	—	—	—	—	—
13	325	10	10	CLR	30.09	95	75	—	—	—	—	—	—
14	325	10	10	CLR	30.08	98	77	—	—	—	—	—	—
15	325	10	10	CLR	30.05	94	76	—	—	—	—	—	—
16	320	10	10	BKN	30.02	93	74	6	1600	CU/ST	—	—	—
17	140	3	8	BKN	30.00	88	72	6	1600	CU/ST	—	—	—
18	140	3	8	BKN	30.00	88	72	6	1600	CU/ST	—	—	—
19	140	3	8	BKN	30.00	86	72	6	1600	CU/ST	—	—	—
20	140	3	8	CLR	30.00	86	72	—	—	—	—	—	—
21	140	3	8	CLR	30.00	86	72	—	—	—	—	—	—
22	140	3	8	CLR	30.00	86	73	—	—	—	—	—	—
23	140	3	8	CLR	30.00	86	73	—	—	—	—	—	—
24	140	2	8	CLR	30.02	86	73	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

0

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER UNIFORM BERTH 6, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORWARD TO THE PIER. MOORED IN A NEST OF TWO SHIPS WITH U.S.S. NOTABLE (MSO-466) MOORED OUTBOARD TO PORT. SOPA IS COMINCHANT AT U.S. NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS I WITH MATERIAL CONDITION YOKE SET.

LTJG USNR

04-08 MOORED AS BEFORE. 0700 MUSTERED THE CREW AT QUARTERS. ABSENTEES: ZIRKLE, L.G. 538 17 00, SN, USN, AWOL SINCE 0645 16 MAY 1962.

LTJG USNR

APPROVED: U. S. N. COMMANDING

EXAMINED: U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) FRIDAY (Day) 25 (Date) MAY (Month), 19 62

Ø8-12 MOORED AS BEFORE Ø94Ø MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITION NORMAL. CONDUCTED WEEKLY TEST OF MAGAZINE SPRINKLING AND FLOODING SYSTEM; CONDITION SATISFACTORY.

W.A. Dodd Ens USNR

12-16 MOORED AS BEFORE.

W.A. Dodd Ens USNR

16-20 MOORED AS BEFORE

W.A. Dodd Ens USNR

2Ø-24 MOORED AS BEFORE

W.A. Dodd Ens USNR

APPROVED: R.A. Fors, LT U. S. N. COMMANDING

EXAMINED: R.A. Fors, LT U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE SATURDAY (Day) 26 (Date) MAY (Month), 1962

AT/PASSAGE FROM CHARLESTON S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	140	2	8	CLR	30.04	78	73	—	—	—	—	—	—
02	140	2	8	CLR	30.04	78	73	—	—	—	—	—	—
03	140	2	8	CLR	30.04	77	73	—	—	—	—	—	—
04	150	2	8	CLR	30.04	77	73	—	—	—	—	—	—
05	150	2	8	CLR	30.03	77	73	—	—	—	—	—	—
06	235	3	8	CLR	30.05	77	73	—	—	—	—	—	—
07	235	4	8	CLR	30.06	85	77	—	—	—	—	—	—
08	250	3	10	CLR	30.09	90	77	—	—	—	—	—	—
09	245	5	10	CLR	30.09	104	78	—	—	—	—	—	—
10	—	—	10	CLR	30.08	101	81	—	—	—	—	—	—
11	260	7	10	CLR	30.06	104	80	—	—	—	—	—	—
12	260	4	10	CLR	30.04	103	79	—	—	—	—	—	—
13	260	3	9	SCT	30.02	102	80	5	1600	CU/NS	—	—	—
14	260	3	9	BKN	30.01	99	81	6	1600	CU/NS	—	—	—
15	260	3	8	BKN	2999	96	82	6	1600	CU/NS	—	—	—
16	260	3	8	BKN	29.97	95	82	6	1600	CU/NS	—	—	—
17	260	3	8	BKN	29.96	93	82	6	1600	CU/NS	—	—	—
18	260	3	8	BKN	2996	90	79	6	1600	CU/NS	—	—	—
19	240	4	8	BKN	29.97	84	75	6	1600	CU/NS	—	—	—
20	220	3	8	CLR	2997	82	73	—	—	—	—	—	—
21	—	—	8	CLR	2997	81	72	—	—	—	—	—	—
22	220	6	8	CLR	2997	80	71	—	—	—	—	—	—
23	230	3	8	CLR	2997	80	75	—	—	—	—	—	—
24	235	3	8	CLR	2996	80	74	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

0400-0800 MOORED STARBOARD SIDE TO PIER UNDER NORMAL BERTH 6, U.S. NAVAL STATION, CHARLESTON S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. MOORED IN ANEST OF THREE SHIPS WITH USS NOTABLE (MSO 466) AND USS SUERTE (MSO 495) MOORED OUTBOARD TO PORT. SOPA IS COMINCENT AT U.S. NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

C.W. Friedell Ens USNR

0400-0800 MOORED IS BEFORE 0745 MUSTERED THE CREW ON STATION, ABSENTEES: ZIRKLE, L.G. 538 1700, SN, USN, AWOL SINCE 0645 14 MAY 1962

C.W. Friedell Ens USNR

APPROVED: U.A. Feare, Lt U.S.N. COMMANDING

EXAMINED: U.A. Feare, Lt U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SATURDAY (Day) 26 (Date) MAY (Month), 19 62

0800-1200 MOORED AS BEFORE. 0955 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL.

W. H. Driskell Ens USNR

1200-1600 MOORED AS BEFORE

W. H. Driskell Ens USNR

1600-2000 MOORED AS BEFORE

W. H. Driskell Ens USNR

2000-2400 MOORED AS BEFORE.

W. H. Driskell Ens USNR

APPROVED: A. A. Feare, LT U. S. N. COMMANDING

EXAMINED: A. A. Feare, LT U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE SUNDAY (Day) 27 (Date) MAY (Month), 19 62

AT/~~PASSAGE FROM~~ CHARLESTON, SOUTH CAROLINA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	220	3	8	CLR	29.95	79	74	—	—	—	—	—	—
02	145	3	8	CLR	29.95	78	73	—	—	—	—	—	—
03	145	3	8	SCT	29.95	78	74	3	1600	CU/NS	—	—	—
04	210	5	8	SCT	29.92	78	74	3	20,000	CI	—	—	—
05	210	4	8	SCT	29.93	78	74	3	20,000	CI	—	—	—
06	280	3	10	CLR	29.82	81	74	—	—	—	—	—	—
07	280	3	10	CLR	29.82	81	74	—	—	—	—	—	—
08	300	3	10	CLR	29.82	87	76	—	—	—	—	—	—
09	320	4	10	CLR	29.90	95	77	—	—	—	—	—	—
10	315	4	9	CLR	29.97	99	80	—	—	—	—	—	—
11	335	8	10	CLR	29.97	94	76	—	—	—	—	—	—
12	330	8	10	CLR	29.98	93	79	—	—	—	—	—	—
13	330	10	10	CLR	29.98	93	75	—	—	—	—	—	—
14	330	9	10	CLR	29.98	93	75	—	—	—	—	—	—
15	330	9	10	CLR	29.98	92	74	—	—	—	—	—	—
16	170	3	10	CLR	29.99	91	73	—	—	—	—	—	—
17	140	3	10	CLR	30.00	91	73	—	—	—	—	—	—
18	140	3	10	CLR	30.00	88	72	—	—	—	—	—	—
19	140	3	10	CLR	30.01	88	72	—	—	—	—	—	—
20	140	3	10	CLR	30.01	88	72	—	—	—	—	—	—
21	140	3	10	CLR	30.01	88	72	—	—	—	—	—	—
22	140	3	10	CLR	30.00	85	71	—	—	—	—	—	—
23	140	3	10	CLR	30.00	85	71	—	—	—	—	—	—
24	140	3	10	CLR	30.00	85	71	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400
0

REMARKS

0000-0400 MOORED STARBOARD SIDE TO PIER UNIFORM BERTH 6, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED AND WIREPREVENTER OUT FORWARD TO THE PIER. MOORED IN A NEST OF THREE SHIPS WITH U.S.S. NOTABLE (MSO-466) AND U.S.S. SWERVE (MSO-495) MOORED OUTBOARD TO PORT. SOPA IS COMMANDANT AT U.S. NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS X WITH MATERIAL CONDITION YOKE SET.

Albert Diehl Ens USNR

0400-0800 MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATION. ABSENTEES: ZIRKLE, L.G. 538 1700, SN, USN, AWOL SINCE 0645 16 MAY 1962.

Albert Diehl Ens USNR

APPROVED: O.A. Fiore, LT U. S. N. COMMANDING

EXAMINED: O.A. Fiore, LT U. S. N. NAVIGATOR

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SUNDAY (Day) 27 (Date) MAY (Month), 19 62

08-12. MOORED AS BEFORE. 0950 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

R R Miller ENS. USNR

12-16. MOORED AS BEFORE.

R R Miller ENS. USNR

16-20. MOORED AS BEFORE.

R R Miller ENS. USNR

20-24. MOORED AS BEFORE

R R Miller ENS. USNR

APPROVED: O. A. Feare, LT U. S. N. COMMANDING

EXAMINED: O. A. Feare, LT U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE MONDAY (Day) 28 (Date) MAY (Month), 19 62

AT/~~PASSAGE~~ FROM CHARLESTON, SOUTH CAROLINA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	140	3	10	CLR	30.00	82	72	—	—	—	—	—	—
02	140	3	10	CLR	30.00	80	73	—	—	—	—	—	—
03	140	4	10	CLR	30.00	78	74	—	—	—	—	—	—
04	140	5	10	CLR	30.02	78	75	—	—	—	—	—	—
05	140	4	8	CLR	30.04	77	75	—	—	—	—	—	—
06	125	3	5	SCT	30.05	78	75	3	4500	AC	—	—	—
07	125	4	7	SCT	30.05	79	76	3	4500	AC	—	—	—
08	125	4	10	SCT	30.05	79	74	3	1600	CU/NS	—	—	—
09	125	5	10	SCT	30.05	79	74	5	1600	CU/NS	—	—	—
10	125	5	10	BKN	30.05	79	74	8	1600	NS	—	—	—
11	125	6	10	BKN	30.06	79	74	9	1600	NS	—	—	—
12	120	8	10	BKN	30.06	79	75	7	1600	CU	—	—	—
13	130	9	10	SCT	30.06	80	75	5	1600	CU	—	—	—
14	140	9	10	SCT	30.06	81	75	4	1600	CU	—	—	—
15	140	9	10	SCT	30.07	81	75	3	1600	CU	—	—	—
16	130	6	10	BKN	30.09	80	74	6	1600	CU/NS	—	—	—
17	—	—	8	BKN	30.10	78	72	8	1600	NS/AC	—	—	—
18	—	—	5	R	30.11	73	70	10	1600	NS	—	—	—
19	140	8	10	OVC	30.13	71	68	10	1600	NS	—	—	—
20	—	—	8	R	30.12	70	67	10	1600	NS	—	—	—
21	170	5	8	R	30.12	72	70	10	1600	NS	—	—	—
22	165	6	8	OVC	30.10	68	66	10	1600	NS	—	—	—
23	160	8	8	OVC	30.09	65	63	10	1600	NS	—	—	—
24	165	3	8	OVC	30.09	65	62	10	1600	NS	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400
0

REMARKS

00-04. MOORED STARBOARD SIDE TO PIER UNIFORM BERTH SIX, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTER OUT FORWARD TO THE PIER. MOORED IN A NEST OF THREE SHIPS WITH USS NOTABLE (MSO-460) AND USS SWERVE (MSO-495) OUTBOARD TO PORT. SOPA is COMINLANT AT U.S. NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS I WITH MATERIAL CONDITION YOKE SET.

R R Miller ENS. USNR

04-08. MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: ZIRKLE, L.G. 538 1700, SN, USN, AWOL SINCE 0645 16 MAY 1962

R R Miller ENS. USNR

APPROVED: A A Fiore, Lt U. S. N. COMMANDING

EXAMINED: A A Fiore, Lt U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) MONDAY (Day) 28 (Date) MAY (Month), 1962

0800-1200 MOORED AS BEFORE. 0916 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL.

Eng W.S. Friell USN.

1200-1600 MOORED AS BEFORE.

Eng W.S. Friell USN.

1600-2000 MOORED AS BEFORE.

Eng W.S. Friell USN.

2000-2400 MOORED AS BEFORE.

Eng W.S. Friell USN

APPROVED: A.A. Frare, LT U. S. N. COMMANDING

EXAMINED: A.A. Frare, LT U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 R DATE TUESDAY (Day) 29 (Date) MAY (Month), 1962

AT/PASSAGE FROM CHARLESTON, SOUTH CAROLINA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	165	3	8	OVC	30.08	64	62	10	1600	NS	—	—	—
02	165	5	8	OVC	30.08	63	61	10	1600	NS	—	—	—
03	165	5	8	OVC	30.08	64	61	10	1600	NS	—	—	—
04	165	5	10	OVC	30.06	70	68	10	1600	NS	—	—	—
05	065	5	5	OVC	30.06	72	70	10	4500	AC	—	—	—
06	075	5	5	OVC	30.08	72	70	10	4500	AC	—	—	—
07	075	5	10	SCT	30.17	75	73	5	1600	CU	—	—	—
08	075	6	10	SCT	30.20	77	74	5	1600	CU	—	—	—
09	075	6	10	SCT	30.22	80	74	5	1600	CU	—	—	—
10	075	6	10	SCT	30.22	80	74	5	1600	CU	—	—	—
11	065	5	10	SCT	30.23	82	74	5	1600	CU	—	—	—
12	105	6	10	SCT	30.23	82	75	5	1600	CU	—	—	—
13	100	7	10	SCT	30.20	80	73	4	1600	CU	—	—	—
14	100	5	10	SCT	30.21	80	73	3	1600	CU	—	—	—
15	100	5	10	SCT	30.21	80	73	3	1600	CU	—	—	—
16	100	5	10	SCT	30.20	80	73	3	1600	CU	—	—	—
17	100	5	10	SCT	30.20	80	73	3	1600	CU	—	—	—
18	100	5	10	SCT	30.19	80	73	3	1600	CU	—	—	—
19	100	5	10	SCT	30.19	80	72	3	1600	CU	—	—	—
20	300	2	10	SCT	30.20	78	72	3	1600	CU	—	—	—
21	330	2	10	SCT	30.21	75	71	3	1600	CU	—	—	—
22	330	2	10	SCT	30.23	75	71	3	1600	CU	—	—	—
23	330	2	10	SCT	30.24	74	71	3	1600	CU	—	—	—
24	330	2	8	CLR	30.23	71	69	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400
0

REMARKS

0600-0604 MOORED STARBOARD SIDE TO PIER UNIFORM BERTH SIX, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTER OUT FORWARD TO THE PIER. MOORED IN A NEST OF THREE SHIPS WITH U.S.S. NOTABLE (MSO-466) AND U.S.S. SWERVE (MSO-495) OUT BOARD TO PORT. SOPA IS COMINCHANT AT U.S. NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

Ens. W.B. Shull USNR

0604-0808 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: ZIRKLE, L.G., 538 17 00, SN, USN, AWOL SINCE 0645 16 MAY 1962.

Ens. W.B. Shull USNR

APPROVED: R.A. Faire, LT U. S. N. COMMANDING

EXAMINED: R.A. Faire, LT U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) TUESDAY (Day) 29 (Date) MAY (Month), 19 62

08-12. MOORED AS BEFORE. 0858 MADE DAILY INSPECTION OF MAGAZINES AND SMOKE LESS POWDER SAMPLES. CONDITIONS NORMAL.

R R Miller ENS. USNR

12-16. MOORED AS BEFORE. 1435 STATIONED SPECIAL SEA DETAIL. 1505 COMPLETED ALL PREPARATIONS FOR GETTING UNDERWAY. DRAFT: FORWARD 10'7", AFT 11'. U.S. NAVY TUG TIED UP TO PORT QUARTER OF USS NOTABLE. PILOT J. DELAMAR CAME ABOARD THIS SHIP. 1513 UNDERWAY DEAD PLANT TO SHIFT BERTHS TO PIER TANGO BERTH ~~THREE~~ TWO IN ACCORDANCE WITH COMINRON EIGHT WEEKLY OPSKED. ACTING COMMANDING OFFICER ON THE BRIDGE. PILOT CONNING. 1529 MOORED STARBOARD SIDE TO PIER TANGO BERTH TWO, US NAVAL STATION, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED TO THE PIER. MOORED IN A NEST OF TWO SHIPS WITH USS NOTABLE OUTBOARD TO PORT. 1534 PILOT DEPARTED THE SHIP. 1535 SECURED SEA DETAIL. SET REGULAR INPORT WATCH. 1537 TUGBOAT CAST OFF. COMMENCED RECEIVING MISCELLANEOUS SERVICES FROM THE PIER.

R R Miller ENS USNR

16-20. MOORED AS BEFORE. 1855 HELD FIRE DRILL. 1905 SECURED FROM FIRE DRILL.

R R Miller ENS. USNR

20-24. MOORED AS BEFORE

R R Miller ENS. USNR

APPROVED: A A Forey Jr U. S. N. COMMANDING

EXAMINED: A A Forey Jr U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE WEDNESDAY (Day) 30 (Date) MAY (Month), 19 62

AT/PASSAGE FROM CHARLESTON, SOUTH CAROLINA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	330	2	8	CLR	30.23	71	69	—	—	—	—	—	—
02	330	12	8	CLR	30.22	70	68	—	—	—	—	—	—
03	330	10	8	CLR	30.20	69	67	—	—	—	—	—	—
04	350	4	6	F	30.21	69	68	—	—	—	—	—	—
05	010	4	4	F	30.20	69	68	—	—	—	—	—	—
06	010	5	4	F	30.21	70	69	—	—	—	—	—	—
07	055	4	8	OVC	30.23	72	71	10	1600	NS/AC	—	—	—
08	000	5	7	BKN	30.25	75	72	9	4500	AC	—	—	—
09	000	6	8	BKN	30.25	77	73	7	4500	AC	—	—	—
10	000	6	8	BKN	30.25	79	75	6	4500	AC	—	—	—
11	045	3	9	SCT	30.24	89	87	5	4500	AC	—	—	—
12	—	—	7	SCT	30.24	95	89	4	4500	AC	—	—	—
13	140	3	10	SCT	30.22	93	85	4	1600	AC/CU	—	—	—
14	140	5	10	SCT	30.20	90	80	4	1600	CU	—	—	—
15	140	7	10	SCT	30.18	87	78	4	1600	CU	—	—	—
16	140	7	10	SCT	30.16	85	77	4	1600	CU	—	—	—
17	160	7	10	BKN	30.15	81	74	6	1600	CU	—	—	—
18	150	7	10	BKN	30.16	80	73	7	1600	CU	—	—	—
19	180	5	10	BKN	30.14	80	73	6	1600	CU	—	—	—
20	140	4	10	SCT	30.16	78	73	4	1600	CU	—	—	—
21	—	—	10	CLR	30.16	77	73	—	—	—	—	—	—
22	—	—	10	CLR	30.18	77	73	—	—	—	—	—	—
23	—	—	10	CLR	30.17	77	73	—	—	—	—	—	—
24	—	—	9	CLR	30.16	76	72	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04. MOORED STARBOARD SIDE TO PIER TANGO BERTH TWO, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTER OUT FORWARD TO THE PIER. MOORED IN A NEST OF TWO SHIPS WITH USS NOTABLE (MSO-460) OUTBOARD TO PORT. SOPA IS COMINLANT AT U.S. NAVAL STATION. SHIPS PREVENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V. WITH MATERIAL CONDITION YOKE SET.

R R Miller ENS. USNR

04-08. MOORED AS BEFORE. 0743 MUSTERED THE CREW ON STATION. ABSENTEES: ZIRKLE, L.G. 538 1700, SN, USN, AWOL SINCE 0645 16 MAY 1962.

R R Miller ENS. USNR

APPROVED: A A Fore, LT U. S. N. COMMANDING

EXAMINED: A A Fore, LT U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) WEDNESDAY (Day) 30 (Date) MAY (Month), 19 62

0800-1200 MOORED AS BEFORE. 1030 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL.

Ens. W. B. Neal USNR

1200-1600 MOORED AS BEFORE.

Ens. W. B. Neal USNR

1600-2000 MOORED AS BEFORE.

Ens. W. B. Neal USNR

2000-2400 MOORED AS BEFORE.

Ens. W. B. Neal USNR

APPROVED: A. A. Frost, LT U.S.N. COMMANDING

EXAMINED: A. A. Frost, LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5R DATE THURSDAY 31 MAY (Day) (Date) (Month) , 1962

AT/~~PASSAGE~~ FROM CHARLESTON, SOUTH CAROLINA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	10	CLR	30.15	75	72	—	—	—	—	—	—
02	—	—	10	CLR	30.12	74	72	—	—	—	—	—	—
03	—	—	10	CLR	30.13	74	72	—	—	—	—	—	—
04	—	—	10	CLR	30.14	74	72	—	—	—	—	—	—
05	—	—	10	BKN	30.14	73	71	9	1600	CU/NS	—	—	—
06	160		10	SCT	30.15	74	72	5	1600	CU/NS	—	—	—
07	—	—	10	SCT	30.18	73	72	5	1600	CU/NS	—	—	—
08	—	—	9	BKN	30.18	80	75	7	1600	CU/NS	—	—	—
09	—	—	10	BKN	30.18	81	75	8	1600	CU/NS	—	—	—
10	—	—	10	BKN	30.19	83	77	8	1600	CU/NS	—	—	—
11	—	—	8	R	30.18	81	75	10	1600	NS	—	—	—
12	280	3	8	BKN	30.17	79	73	8	1600	NS	—	—	—
13	280	4	8	BKN	30.18	78	73	8	1600	NS	—	—	—
14	290	3	8	BKN	30.19	78	73	8	1600	NS	—	—	—
15	300	3	8	SCT	30.20	77	74	5	1600	NS	—	—	—
16	250	4	8	SCT	30.18	78	74	4	1600	NS	—	—	—
17	250	5	10	SCT	30.14	80	74	2	4500	NS/AC	—	—	—
18	250	4	10	SCT	30.12	78	74	2	4500	AC	—	—	—
19	230	2	10	SCT	30.10	78	74	2	4500	AC	—	—	—
20	230	2	10	SCT	30.09	77	74	2	1600	NS/AC	—	—	—
21	220	2	10	SCT	30.08	76	74	4	1600	NS/AC	—	—	—
22	210	3	10	SCT	30.06	76	72	5	1600	NS/AC	—	—	—
23	190	3	10	SCT	30.04	75	71	5	1600	NS/AC	—	—	—
24	170	4	10	SCT	30.04	74	71	4	1600	NS/AC	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

0⁰-0⁴ MOORED STARBOARD SIDE TO PIER ~~UNIFORM~~ TANGO BERTH TWO, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTER OUT FORWARD TO THE PIER. MOORED IN A NEST OF TWO SHIPS WITH U.S.S. NOTABLE (MSO-469) MOORED OUTBOARD TO PORT. SOPA IS COMINCENT AT U.S. NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET. JHK

W. A. Hewitt Ens USNR

0⁴-0⁸ MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: ZIRKLE, L.S., 538 17 00, SN, USN, AWOL SINCE 0645 26 MAY, 1962.

W. A. Hewitt Ens USNR

APPROVED: R. O. Fore, LT U.S.N. COMMANDING

EXAMINED: R. O. Fore, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) THURSDAY (Day) 31 (Date) MAY (Month), 19 62

0800-1200. MOORED AS BEFORE. 0900 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL.

R R Miller ENS. USNR

1200-1600. MOORED AS BEFORE.

R R Miller ENS. USNR

1600-2000. MOORED AS BEFORE. 1617 USS NOTABLE (MSO-460) MOORED OUTBOARD TO PORT. 1645 ZIRKLE, L. G. 538 17 00, SN, USN, RETURNED ON BOARD, HAVING BEEN AWOL SINCE 0645 16 MAY 1962

R R Miller ENS. USNR

2000-2400. MOORED AS BEFORE.

[illegible] Ens USNR

APPROVED: A C Forge, LT U.S.N. COMMANDING

EXAMINED: A C Forge LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6